

0-3 = 12

D054-17

# LOG of BORING NO. B-8

Sheet 1 of 3

DATE: February 26, 1998 SURFACE ELEVATION: 31.0 LOCATION: See Plan

DEPTH, ft	SAMPLES	N VALUE OR CORE RECOVERY	SAMPLE TYPE	DESCRIPTION	STRATUM ELEVATION	POCKET PENETROMETER	WATER CONTENT, %	LIQUID LIMIT, %	PLASTIC LIMIT, %	OTHER TESTS
0										
		11	SS	Stiff to very stiff brown micaceous sandy clayey silt/silty clay		tsf	16.0			
		16	SS				20.9			
5		28	SS				21.0			
		35	SS				22.6			
		29	SS	Fill	20.6		31.0			
10		25	SS				1.4	23.6		
				Stiff dark gray micaceous silty clay, trace organics			33.1			
15		16	SS				23.9			
		9	SS	- becoming medium stiff		0.75	23.9			
20										
		5	SS	Qm		1.1	59.0			
25										
		2	SS			0.7	48.5			
30			ST				42.6			X
		2	SS	-- becoming soft		0.3	50.2			

Continued on Sheet 2 of 3

Completion Depth: 80.5 ft Water Depth: \_\_\_\_\_ ft After \_\_\_\_\_ hrs  
 Project No.: 97G193 \_\_\_\_\_ ft After \_\_\_\_\_ hrs  
 Project Name: Star Enterprise DMSA-II \_\_\_\_\_ ft After \_\_\_\_\_ hrs  
 Drilling Method: Hollow-Stem Augers and Mud Rotary \_\_\_\_\_ ft After \_\_\_\_\_ hrs

# LOG of BORING NO. B-8

DATE: February 26, 1998 SURFACE ELEVATION: 31.0 LOCATION: See Plan

DEPTH, ft	SAMPLES	N VALUE OR CORE RECOVERY	SAMPLE TYPE	DESCRIPTION	STRATUM ELEVATION	POCKET PENETROMETER	WATER CONTENT, %	LIQUID LIMIT, %	PLASTIC LIMIT, %	OTHER TESTS	
35				Same as above	-6.0	tsf					
40		3	SS	Loose gray micaceous sand with layers (4 to 6 inches thick) of gray silty clay  <i>Qm</i>	-12.5		37.1				
45		4	SS	Dark brown fibrous peat with gray micaceous silty clay	-16.0		123.8				
50		WOH	SS	Soft dark gray micaceous silty clay with some fibrous organic inclusions		0.5	72.5				
			ST					67.0			X
		4	SS				0.2	41.8			
55											
60		3	SS	- becoming medium stiff		1.25	60.3				
65		4	SS			0.6	72.6				
70		4	SS	<i>Qm</i>		1.1	81.1				

Continued on Sheet 2 of 3

Completion Depth: 80.5 ft Water Depth: \_\_\_\_\_ ft After \_\_\_\_\_ hrs  
 Project No.: 97G193 \_\_\_\_\_ ft After \_\_\_\_\_ hrs  
 Project Name: Star Enterprise DMSA-II \_\_\_\_\_ ft After \_\_\_\_\_ hrs  
 Drilling Method: Hollow-Stem Augers and Mud Rotary \_\_\_\_\_ ft After \_\_\_\_\_ hrs

# LOG of BORING NO. B-8

DATE: February 26, 1998

SURFACE ELEVATION: 31.0

LOCATION: See Plan

DEPTH, ft	SAMPLES	N VALUE OR CORE RECOVERY	SAMPLE TYPE	DESCRIPTION	STRATUM ELEVATION	POCKET PENETROMETER	WATER CONTENT, %	LIQUID LIMIT, %	PLASTIC LIMIT, %	OTHER TESTS
70				Same as Above	-41.0					
75		9	SS	Stiff gray and brown sandy silty clay			16.5			
80		21	SS	Medium dense light gray silty medium to fine sand	-46.0					
					-49.5		23.7			
85										
90										
95										

*Q<sub>c1</sub>?*

Completion Depth: 80.5 ft

Water Depth: \_\_\_\_\_ ft After \_\_\_\_\_ hrs

Project No.: 97G193

\_\_\_\_\_ ft After \_\_\_\_\_ hrs

Project Name: Star Enterprise DMSA-II

\_\_\_\_\_ ft After \_\_\_\_\_ hrs

Drilling Method: Hollow-Stem Augers and Mud Rotary

\_\_\_\_\_ ft After \_\_\_\_\_ hrs