

STATE OF DELAWARE
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PAGE 2 OF 3

BORING NO. B # 22

CONTRACT: 97-200-13 CYPRESS SWAMP
BORING LOCATION:

Qg52-05

DAILY PROGRESS	NO.	SAMPLE DEPTH	BLOWS/6"	SAMPLE DESCRIPTION	CLASS/G.I.	REMARKS
4/15/98	1	0.0'	1	No Sieve Analysis - Indication of saturated		
			1	soft brown peat.		
			1			
		2.0'	1			
20" Recovery						
	2	2.0'	2	Saturated firm brown silty fine sand	A-4 (0)	Water @ 3.0'
			3	w/trace of coarse sand.		
			4			
		4.0'	7			
14" Recovery						
	3	4.0'	10	Saturated very stiff brown fine sandy silt	A-4 (0)	
			9	w/some clay and organic matter, trace of		
				coarse sand. (7" Sample)		
	4		9	Wet medium dense gray fine sand w/some silt,	A-2-4 (0)	
		6.0'	10	trace of coarse sand. (17" Sample)		
24" Recovery						
	5	6.0'	9	Wet medium dense gray fine sand w/some	A-2-4 (0)	
			11	silt, trace of coarse sand.		
			12			
		8.0'	18			
16" Recovery						
	6	8.0'	3	Wet medium dense gray fine sand w/some	A-2-4 (0)	
			8	silt, trace of coarse sand.		
			8			
		10.0'	7			
13" Recovery						
	7	10.0'	3	Saturated soft brown fine sandy silt	A-4 (0)	
			2	w/some organic matter, trace of coarse		
			1	sand.		
		12.0'	1			
16" Recovery						
	8	12.0'	W/H	Saturated very loose brown silty fine sand	A-2-4 (0)	
			W/H	w/some coarse sand, trace of organic matter.		
			3			
		14.0'	11			
16" Recovery						

BORING NO. B # 22
SURFACE ELEV.

STATE OF DELAWARE
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PAGE 3 OF 3

BORING NO. B # 22

CONTRACT: 97-200-13 CYPRESS SWAMP

BORING LOCATION:

Qg52-05

DAILY	SAMPLE		BLOWS/6"	SAMPLE DESCRIPTION	CLASS/G.I.	REMARKS
PROGRESS	NO.	DEPTH				
4/15/98	9	14.0'	5	Saturated loose gray silty fine sand	A-2-4 (0)	
		15.0'	5	w/trace of coarse sand.		

10" Recovery

(END)

BORING NO. B # 22
SURFACE ELEV.