

STATE OF DELAWARE
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PAGE 2 OF 3

BORING NO. S # 5

CONTRACT: 22-124-06 U.S. 13/404 INTERSECTION REALIGNMENT AND BRIDGEVILLE SERVICE ROADS
BORING LOCATION: STA. 342+00, CENTERLINE

0c25-17

DAILY PROGRESS	NO.	SAMPLE DEPTH	BLOWS/6"	SAMPLE DESCRIPTION	CLASS/G. I.	REMARKS
11/3/04	1	1.0'	4	Moist medium dense gray silty fine sand	A-2-4 (0)	
		2.0'	5	w/some coarse sand, trace of gravel.		
			9			
			9			
20" Recovery						
	2	2.0'	9	Wet hard gray fine sandy silt w/some	A-4 (0)	
			11	coarse sand, trace of gravel.		
			20			
		4.0'	18			
22" Recovery						
	3	4.0'	9	Wet medium dense gray silty fine sand	A-2-4 (0)	
			11	w/some coarse sand, trace of gravel.		
			12			
		6.0'	14			
22" Recovery						
	4	6.0'	11	Wet medium dense gray fine to coarse sand	A-2-4 (0)	
			12	w/some silt, trace of gravel.		
			15			
		8.0'	18			
22" Recovery						
	5	8.0'	7	Wet medium dense gray fine to coarse sand	A-2-4 (0)	
			8	w/some silt, trace of gravel.		
			8			
		10.0'	8			
20" Recovery						
	6	14.0'	2	Wet loose brown coarse to fine sand	A-1-b (0)	
			3	w/trace of gravel and silt.		
			5			
		16.0'	3			
22" Recovery						
	7	19.0'	1	Saturated very loose gray coarse to fine	A-1-b (0)	
			1	sand w/some silt, trace of gravel.		
			1			
		21.0'	2			
20" Recovery						
	8	24.0'	2	Saturated loose gray coarse sand w/some	A-1-b (0)	
			3	fine sand and gravel, trace of silt.		
			2			
		26.0'	2			
18" Recovery						

BORING NO. S # 5
SURFACE ELEV. + 33.5'

STATE OF DELAWARE
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PAGE 3 OF 3

BORING NO. S # 5

CONTRACT: 22-124-06 U.S. 13/404 INTERSECTION REALIGNMENT AND BRIDGEVILLE SERVICE ROADS
BORING LOCATION: STA. 342+00, CENTERLINE

DAILY PROGRESS	SAMPLE NO.	DEPTH	BLOWS/6"	SAMPLE DESCRIPTION	CLASS/G.I.	REMARKS
11/3/04	9	29.0'	4	Saturated loose grayish brown gravelly	A-1-b (0)	
			3	coarse sand w/some fine sand, trace of		
			3	silt.		
		31.0'	4			
14" Recovery						
10		34.0'	2	Saturated loose brown coarse to fine sand	A-1-b (0)	
			4	w/trace of silt and gravel.		
			4			
		36.0'	5			
16" Recovery						
11		38.0'	8	Saturated medium dense brown coarse to fine	A-1-b (0)	
			8	sand w/trace of silt and gravel.		
			6			
		40.0'	7			
22" Recovery						
(END)						

BORING NO. S # 5
SURFACE ELEV. + 33.5'