

STATE OF DELAWARE  
 DEPARTMENT OF TRANSPORTATION  
 DIVISION OF HIGHWAYS

BORING NO. B # 14

CONTRACT: 97-200-13 CYPRESS SWAMP

BORING LOCATION:

Qg53-05

DAILY PROGRESS	NO.	SAMPLE DEPTH	BLOWS/6"	SAMPLE DESCRIPTION	CLASS/G.I.	REMARKS
4/13/98	1	0.0'	1	Wet loose brown fine sand w/some silt and	A-2-4 (0)	
			3	coarse sand.		
			2			
		2.0'	5			
18" Recovery						
	2	2.0'	9	Wet very dense brown fine sand w/some silt	A-2-4 (0)	Water @ 4.0'
			23	and coarse sand.		
			36			
		4.0'	36			
18" Recovery						
	3	4.0'	8	Wet medium dense brown fine sand w/some	A-2-4 (0)	
			13	silt and coarse sand.		
			13			
		6.0'	13			
18" Recovery						
	4	6.0'	5	Wet medium dense brown fine sand w/some	A-2-4 (0)	
			10	silt and coarse sand.		
			14			
		8.0'	16			
19" Recovery						
	5	8.0'	8	Wet medium dense brown fine sand w/some	A-2-4 (0)	
			13	coarse sand and silt. (10" Sample)		
	6	10.0'	6	Saturated stiff gray silt w/some fine sand	A-4 (0)	
			8	and organic matter, trace of coarse sand.		
				(8" Sample) 18" Recovery		
	7	10.0'	3	Saturated loose gray silty fine sand	A-2-4 (0)	
			4	w/some coarse sand. (10" Sample)		
	8	12.0'	6	Saturated stiff gray silt w/some organic	A-4 (0)	
			6	matter, trace of fine to coarse sand.		
				(10" Sample) 20" Recovery		
	9	12.0'	1	Saturated firm grayish brown organic fine	A-4 (0)	
			3	sandy silt w/trace of coarse sand.		
			4			
		14.0'	3			
22" Recovery						

STATE OF DELAWARE  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS

PAGE 3 OF 3

BORING NO. B # 14

CONTRACT: 97-200-13 CYPRESS SWAMP

BORING LOCATION:

Q<sub>g</sub>53-05

DAILY PROGRESS	NO.	SAMPLE DEPTH	BLOWS/6"	SAMPLE DESCRIPTION	CLASS/G.I.	REMARKS
4/13/98	10	14.0'	W/H	Saturated soft brown organic fine sandy	A-4 (0)	
		15.0'	W/H	silt w/trace of coarse sand.		

12" Recovery

( END )

BORING NO. B # 14  
SURFACE ELEV.