

Soils Report

Paths and Trails - Dominant Condition

Paths and trails are used for walking, horseback riding, and similar uses and require little or no cutting or filling. The soils are rated based on the properties and qualities that influence trafficability and erodibility.

Soil Survey: Bracken and Robertson Counties, Kentucky

Survey Status: Initial

Correlation Date: 06/01/1989

Distribution Date: 09/26/2001

Map Symbol	Soil Name	Rating	Dominant Component(s) and Reason(s)
AIB	ALLEGHENY LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
AIC	ALLEGHENY LOAM, 6 TO 12 PERCENT SLOPES	Not limited	
AID	ALLEGHENY LOAM, 12 TO 20 PERCENT SLOPES	Somewhat limited	Component - ALLEGHENY (85%) • Slope
AnB	ALLEGHENY LOAM, 2 TO 6 PERCENT SLOPES, RARELY FLOODED	Not limited	
Bo	BOONESBORO SILT LOAM, FREQUENTLY FLOODED	Somewhat limited	Component - BOONESBORO (90%) • Flooding
CnE2	CYNTHIANA-FAYWOOD COMPLEX, ROCKY, 20 TO 35 PERCENT SLOPES, ERODED	Very limited	Component - CYNTHIANA (50%) • Slope Component - FAYWOOD (35%) • Slope
DAM	DAM, LARGE	Very limited	Component - DAM (100%) • Slope • Water erosion
EfD2	EDEN FLAGGY SILTY CLAY LOAM, 6 TO 20 PERCENT SLOPES, ERODED	Not limited	
EfE2	EDEN FLAGGY SILTY CLAY LOAM, 20 TO 35 PERCENT SLOPES, ERODED	Very limited	Component - EDEN (80%) • Slope
EkB	ELK SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
EkC	ELK SILT LOAM, 6 TO 12 PERCENT SLOPES	Not limited	
ErA	ELK SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	Not limited	
ErB	ELK SILT LOAM, 2 TO 6	Not limited	

	PERCENT SLOPES, RARELY FLOODED		
FrF	FAIRMOUNT FLAGGY SILTY SILTY CLAY LOAM, VERY ROCKY, 20 TO 60 PERCENT SLOPES	Very limited	Component - FAIRMOUNT (75%) • Slope
FwB	FAYWOOD SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
FyD2	FAYWOOD- CYNTHIANA COMPLEX, 6 TO 20 PERCENT SLOPES, ERODED	Not limited	
La	LAWRENCE SILT LOAM, RARELY FLOODED	Very limited	Component - LAWRENCE (90%) • Depth to saturated zone
LoB	LOWELL SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
LoC	LOWELL SILT LOAM, 6 TO 12 PERCENT SLOPES	Not limited	
LwB	LOWELL SILT LOAM, SHALE SUBSTRATUM, 2 TO 6 PERCENT SLOPES	Not limited	
LwC2	LOWELL SILT LOAM, SHALE SUBSTRATUM, 6 TO 12 PERCENT SLOPES, ERODED	Not limited	
LwD2	LOWELL SILT LOAM, SHALE SUBSTRATUM, 12 TO 20 PERCENT SLOPES, ERODED	Somewhat limited	Component - LOWELL (80%) • Slope
MgB	MONONGAHELA LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
MgC	MONONGAHELA LOAM, 6 TO 12 PERCENT SLOPES	Not limited	
Ne	NEWARK SILT LOAM, FREQUENTLY FLOODED	Very limited	Component - NEWARK (90%) • Depth to saturated zone • Flooding
Ng	NEWARK SILT LOAM, PONDED	Very limited	Component - NEWARK (95%) • Depth to saturated zone • Ponding • Flooding
NhB	NICHOLSON SILT LOAM, 2 TO 6 PERCENT SLOPES	Somewhat limited	Component - NICHOLSON (90%) • Depth to saturated zone
NhC	NICHOLSON SILT	Somewhat limited	Component - NICHOLSON (85%)

	LOAM, 6 TO 12 PERCENT SLOPES		<ul style="list-style-type: none"> • Depth to saturated zone
No	NOLIN SILT LOAM, FREQUENTLY FLOODED	Somewhat limited	Component - NOLIN (90%) <ul style="list-style-type: none"> • Flooding
OtB	OTWELL SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
OtC	OTWELL SILT LOAM, 6 TO 12 PERCENT SLOPES	Not limited	
OwB	OTWELL SILT LOAM, 2 TO 6 PERCENT SLOPES, RARELY FLOODED	Not limited	
SaB	SANDVIEW SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
W	WATER	Very limited	Component - WATER (100%) <ul style="list-style-type: none"> • Slope • Water erosion
WhB	WHEELING LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
WhC	WHEELING LOAM, 6 TO 12 PERCENT SLOPES	Not limited	
WhF	WHEELING LOAM, 12 TO 55 PERCENT SLOPES	Very limited	Component - WHEELING (85%) <ul style="list-style-type: none"> • Slope
WnB	WHEELING LOAM, 2 TO 6 PERCENT SLOPES, RARELY FLOODED	Not limited	
WoC	WOOLPER SILTY CLAY LOAM, 4 TO 12 PERCENT SLOPES	Not limited	