

---

# Soils Report

---

**Contact your local District Conservationist for site specific assistance**

## **Picnic Areas - Dominant Condition**

Picnic areas are natural or landscaped tracts used primarily for preparing meals and eating outdoors. These areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking lots. Soils are rated on the basis of properties that influence the development costs of shaping the site, trafficability, and the growth of vegetation after development.

**Soil Survey: Casey County, Kentucky**

**Survey Status: Published**

**Correlation Date: 07/01/1989**

**Distribution Date: 12/09/2002**

<b>Map Symbol</b>	<b>Soil Name</b>	<b>Rating</b>	<b>Dominant Component(s) and Reason(s)</b>
BeB	BEREA SILT LOAM, 2 TO 6 PERCENT SLOPES	Somewhat limited	Component - BEREA (90%) • Depth to saturated zone
CaC	CANEYVILLE SILT LOAM, 6 TO 12 PERCENT SLOPES	Somewhat limited	Component - CANEYVILLE (85%) • Slope
CaD	CANEYVILLE SILT LOAM, VERY ROCKY, 6 TO 20 PERCENT SLOPES	Somewhat limited	Component - CANEYVILLE (80%) • Slope
CaE	CANEYVILLE SILT LOAM, VERY ROCKY, 20 TO 30 PERCENT SLOPES	Very limited	Component - CANEYVILLE (80%) • Slope
CgB	CARPENTER GRAVELLY SILT LOAM, 2 TO 6 PERCENT SLOPES	Somewhat limited	Component - CARPENTER (90%) • Gravel content
CgC	CARPENTER GRAVELLY SILT LOAM, 6 TO 12 PERCENT SLOPES	Somewhat limited	Component - CARPENTER (90%) • Slope • Gravel content
CoF	COLYER SILT LOAM, 20 TO 50 PERCENT SLOPES	Very limited	Component - COLYER (85%) • Slope • Depth to bedrock
CpD	COLYER-TRAPPIST COMPLEX, 12 TO 20 PERCENT SLOPES	Very limited	Component - COLYER (60%) • Depth to bedrock • Slope Component - TRAPPIST (35%) • Slope
CrB	CRIDER SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
DAM	DAM, LARGE EARTHEN	Not Rated	Component - DAM (100%) • Not Rated; Surface Fragments > 75mm • Not Rated; Surface clay percent or taxonomic class

			<ul style="list-style-type: none"> <li>• Not Rated; % surface sand or clay</li> </ul>
EkB	ELK SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
FaF	FAIRMOUNT SILTY CLAY LOAM, VERY ROCKY, 30 TO 60 PERCENT SLOPES	Very limited	Component - FAIRMOUNT (80%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
FdD2	FAYWOOD SILT LOAM, 12 TO 20 PERCENT SLOPES, ERODED	Very limited	Component - FAYWOOD (90%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
Ffe2	FAYWOOD-FAIRMOUNT-ROCK OUTCROP COMPLEX, 20 TO 30 PERCENT SLOPES, ERODED	Very limited	Component - FAYWOOD (45%) <ul style="list-style-type: none"> <li>• Slope</li> </ul> Component - FAIRMOUNT (25%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
FkB	FRANKSTOWN SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
FkC	FRANKSTOWN SILT LOAM, 6 TO 12 PERCENT SLOPES	Somewhat limited	Component - FRANKSTOWN (90%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
FkD	FRANKSTOWN SILT LOAM, 12 TO 20 PERCENT SLOPES	Very limited	Component - FRANKSTOWN (85%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
FrB	FREDERICK SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
FrC	FREDERICK SILT LOAM, 6 TO 12 PERCENT SLOPES	Somewhat limited	Component - FREDERICK (85%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
FrD	FREDERICK SILT LOAM, 12 TO 20 PERCENT SLOPES	Very limited	Component - FREDERICK (85%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
GaF	GARMON SILT LOAM, 30 TO 60 PERCENT SLOPES	Very limited	Component - GARMON (85%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
Jo	JOHNSBURG SILT LOAM	Very limited	Component - JOHNSBURG (90%) <ul style="list-style-type: none"> <li>• Depth to saturated zone</li> <li>• Depth to cemented pan</li> </ul>
La	LAWRENCE SILT LOAM, RARELY FLOODED	Very limited	Component - LAWRENCE (90%) <ul style="list-style-type: none"> <li>• Depth to cemented pan</li> <li>• Depth to saturated zone</li> </ul>
LcE	LENBERG-CARPENTER COMPLEX, 12 TO 30 PERCENT SLOPES	Very limited	Component - LENBERG (50%) <ul style="list-style-type: none"> <li>• Slope</li> </ul> Component - CARPENTER (35%) <ul style="list-style-type: none"> <li>• Slope</li> <li>• Gravel content</li> </ul>
Ln	LINDSIDE SILT LOAM, OCCASIONALLY FLOODED	Somewhat limited	Component - LINDSIDE (90%) <ul style="list-style-type: none"> <li>• Depth to saturated zone</li> </ul>
LoC	LOWELL SILT LOAM, 6	Somewhat limited	Component - LOWELL (90%) <ul style="list-style-type: none"> <li>• Depth to saturated zone</li> </ul>

	TO 12 PERCENT SLOPES		<ul style="list-style-type: none"> <li>• Slope</li> </ul>
LoD	LOWELL SILT LOAM, 12 TO 20 PERCENT SLOPES	Very limited	Component - LOWELL (90%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
Me	MELVIN SILT LOAM, OCCASIONALLY FLOODED	Very limited	Component - MELVIN (85%) <ul style="list-style-type: none"> <li>• Depth to saturated zone</li> </ul>
Ne	NEWARK SILT LOAM, OCCASIONALLY FLOODED	Very limited	Component - NEWARK (90%) <ul style="list-style-type: none"> <li>• Depth to saturated zone</li> </ul>
No	NOLIN SILT LOAM, OCCASIONALLY FLOODED	Not limited	
PrB	PRICETOWN SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
PrC	PRICETOWN SILT LOAM, 6 TO 12 PERCENT SLOPES	Somewhat limited	Component - PRICETOWN (90%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
Rb	ROBERTSVILLE SILT LOAM, RARELY FLOODED	Very limited	Component - ROBERTSVILLE (90%) <ul style="list-style-type: none"> <li>• Depth to saturated zone</li> <li>• Depth to cemented pan</li> </ul>
RoE	ROCK OUTCROP-CANEYVILLE COMPLEX, 6 TO 35 PERCENT SLOPES	Not Rated	Component - ROCK OUTCROP (55%) <ul style="list-style-type: none"> <li>• Not Rated; Surface Fragments &gt; 75mm</li> <li>• Not Rated; Surface clay percent or taxonomic class</li> <li>• Not Rated; % surface sand or clay</li> </ul>
Sk	SKIDMORE VERY GRAVELLY LOAM, FREQUENTLY FLOODED	Somewhat limited	Component - SKIDMORE (85%) <ul style="list-style-type: none"> <li>• Flooding</li> <li>• Gravel content</li> </ul>
TeB	TEDDY SILT LOAM, 2 TO 6 PERCENT SLOPES	Very limited	Component - TEDDY (90%) <ul style="list-style-type: none"> <li>• Depth to cemented pan</li> <li>• Depth to saturated zone</li> </ul>
TrB	TRAPPIST SILT LOAM, 2 TO 6 PERCENT SLOPES	Not limited	
TrC	TRAPPIST SILT LOAM, 6 TO 12 PERCENT SLOPES	Somewhat limited	Component - TRAPPIST (90%) <ul style="list-style-type: none"> <li>• Slope</li> </ul>
W	WATER	Not Rated	Component - WATER (100%) <ul style="list-style-type: none"> <li>• Not Rated; Surface Fragments &gt; 75mm</li> <li>• Not Rated; Surface clay percent or taxonomic class</li> <li>• Not Rated; % surface sand or clay</li> </ul>
Yo	YOSEMITE GRAVELLY SILT LOAM, FREQUENTLY FLOODED	Very limited	Component - YOSEMITE (85%) <ul style="list-style-type: none"> <li>• Depth to saturated zone</li> <li>• Flooding</li> <li>• Gravel content</li> </ul>