



Delaware Geological Survey


COMPANY	: Shore	OTHER SERVICES:	
WELL	: Eb52-22	None	
LOCATION/FIELD	: 210161 Boyds corner	None	
COUNTY	: New Castle	None	
SECTION	: de		
SECTION	: None	TOWNSHIP	: None
		RANGE	: None
DATE	: 10/20/05	PERMANENT DATUM	: None
DEPTH DRILLER	: 418		KB : None
LOG BOTTOM	: 417.20	LOG MEASURED FROM:	None
LOG TOP	: 1.00	DRL MEASURED FROM:	None
			DF : None
CASING DIAMETER	: 0	LOGGING UNIT	: None
CASING TYPE	: None	FIELD OFFICE	:
CASING THICKNESS:	0	RECORDED BY	: psm
BIT SIZE	: 6 in	BOREHOLE FLUID	: 0
MAGNETIC DECL.	: 0	RM	: 0
MATRIX DENSITY	: 2.71	RM TEMPERATURE	: 0
NEUTRON MATRIX	: Dolomite	MATRIX DELTA T	: 54
			FILE : PROCESSED
			TYPE : 8144A
			THRESH: 50000



multi up


WITNESSED BY : mgf ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

GAMMA	
0	150
API-GR	


FEET	LATERAL	
5	OHM-M	500
	RES	
5	OHM	500
	RES(64N)	
5	OHM-M	500
	RES(16N)	
5	OHM-M	500







0 API-GR 150
GAMMA



FEET