Lg 42-1

Owner: Mrs. Elizabeth Keil Date: Driller: P White

Location: Mispillion Light House

Date Started: Dec. 1, 1942

Depth: 292' 3"

Static water level:

Pumping water level:

GPM: 10 at 48'

Diameter 3" well

Lg 42-1

Log

0	6"	filled in land
6"	3'	marsh mud and veg.
3'	38'	gray blue clay
38	45'	very fine yellow sand
45	61'	yellowish water bearing fine, coarse and very coarse sand and gravel (salty)
61	77'	fine and very fine red then yellow-green sand
77	86'	gray clay
86	112'	very fine black sand
112	141'	gray clay containing clam and other shells
141	148'	something like a ledge of slate or rock or layer of cemented gravel (drilled a hole through it but collapsed the pipe on drilling it through)
148	170'	a gray sand and clay cemented to-gether with small shell particles, drilled good but pipe drove very hard.
170	208'	gray sandy clay full of small shells
208	212½	shell bed with some sand and mud
212½	213	gray clay
213	214	fine dirty sand gray in color
214	260	brownish clay hard pan (Lignite)
260	277	fine and medium gray sand and shells of all kins
277	292'	ditto but less fine and some fairly coarse sand.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION

WELL SCHEDULE

Date May 5, 1943 Field No. W6-1

Record by Frances Bailey Office No. Lg 42-1

Source of data Robert Bailey - Log Lg 42-1

1. *Location:* State Delaware County Sussex
Map
¼ ¼ ¼ sec. T N S R E W

2. *Owner:* Robert Bailey
Tenant Mrs. Elizabeth Keil deceased Address Mispillion Light House

3. *Topography* Shore Address Milton Del

4. *Elevation* 2 ft. above below

5. *Type:* Dug, drilled, driven, bored, jetted Dec 1 19 42

6. *Depth:* Rept. 292 (est) ft. Meas. ft.

7. *Casing:* Diam. 3 in., to in., Type
Depth ft., Finish

8. *Chief Aquifer* From ft. to ft.
Others

9. *Water level* -5 ft. rept. meas. May 5 19 43 above surface
below
which is ft. above below surface

10. *Pump:* Type Piston Capacity hand pump Horsepower
Power: Kind hand G.M.

11. *Yield:* Flow Uncontrolled G.P.M., Pump Test, Meas., Rept. Est.
Drawdown ft. after hours pumping G.M.

12. *Use:* Dom., Stock, PS., RR., Ind., Irr., Obs.
Adequacy, permanence

13. *Quality* (Lab.) Temp °F.
Taste, odor, color
Sample Yes No

Unfit for

14. *Remarks:* (Log, Analyses, etc.)

(October 1950) 9-885

U. S. GOVERNMENT PRINTING OFFICE 16—62893-1