

CLIENT Delaware State Highway Department

SHEET 1 OF 2
DATE January 28, 1963

LOCATION Indian River Inlet Bridge PENNIMAN & BROWNE, INC.
SOIL BORING LOG

INSPECTOR FOREMAN H. Colvin

REMARKS WATER LEVEL RECORDED FROM GROUND SURFACE
P/42-28

SPOON
OUTSIDE DIA. 2" 2 7/16"
INSIDE DIA. 1 1/2" 2 7/16"
HAMMER WGT. 140 lbs. 350 lbs.
HAMMER FALL 30" 24"

DEPTH	SAMPLE		BORING NO. B-6 1/23/63	CASING	ELEV.	DEPTH	SAMPLE		BORING NO.	CASING
	NO.	5/6"					NO.	5/6"		
			Visual Classification	5/FT.						
			Water level			37				
						38.5	2	1 1 1		38-6 39-13 40-30
						40				40-30
						41.5	3	1 1 1		41-32 42-30 43-30
						44				
						45.5	4	1 1 2		
						50				
						51.5	5	2 1 1		Gray silty clay

Water

55

6

1
1
1

56.5

60

7

1
1
1

61.5

65

8

2
1
2

66.5

70

9

1
Push
1

71.5

72.5

55.5

56.5

1

2
2
1

Gray coarse silty sand & shells
Gray silty clay

36-3

37-5

Boring B-6 continued

* Gray silty clay with organic Peat

Boring B-6 continued

CLIENT Delaware State Highway Department

SHEET 2 OF 2
DATE January 28, 1963

LOCATION Indian River Inlet Bridge PENNIMAN & BROWNE, INC.
SOIL BORING LOG

INSPECTOR	FOREMAN H. Colvin	SPOON	CASING
REMARKS	WATER LEVEL RECORDED FROM GROUND SURFACE	OUTSIDE DIA. 2"	2 7/8"
		INSIDE DIA. 1 1/2"	2.7/16"
		HAMMER WGT. 140 lbs.	350 lbs.
		HAMMER FALL 30"	24"

DEPTH	SAMPLE		BORING NO. B-6 1/23/63	CASING	ELEV.	DEPTH	SAMPLE		BORING NO.	CASING
	NO.	B/S					NO.	B/S		
71.5			Boring B-6 continued							
75										
76.5	10	2 3 4								
80				Gray silty clay, with organic Peat						
81.5	11	1 3 3								
85										
86.5	12	4 16 45								
			Fin. Gray sand trace							

