MAIL TO:

WATER SUPPLY BRANCH
DIVISION OF ENVIRONMENTAL CONTROL
P.O. BOX 1401
DOVER, DELAWARE 19903

STATE OF DELAWARE DEPARTMENT OF NATURAL RESOURCES AND ENVIRONMENTAL CONTROL

WELL COMPLETION REPORT MUST BE RETURNED 30 DAYS AFTER CONSTRUCTION DATE

WELL COMPLETION REPORT

PLEASE PRINT		
PERMIT NO. 73089 LOCAL ID 22		TYPE OF PERMANENT PUMP INSTALLED:
OWNER <u>US65</u>		PUMP MANUFACTURE RATED CAPACITY (GPM)
CONSTRUCTION DATE 3-30-88		PUMP INTAKE SETTING FT. BELOW GRADE
PURPUSE: EI IES	T PERMANENT	THE COMPLETED WELL IS?
	_	YES NO
USE: DOMESTIC DAGRICULTURAL		A. AT LEAST 15' FROM ANY FOUNDATION
☐ COMMERCIAL ☐ INDUSTRIAL		B. AT LEAST 50' FROM ANY SEPTIC TANK
☐ IRRIGATION ☐ PUBLIC		C. AT LEAST 10' FROM TOWN SEWER LINE
™ MONITOR □ DEWATERING		D. AT LEAST 100' FROM THE NEAREST EDGE
☐ HEAT PUMP RECHARGE ☐ HEAT PUMP SUPPLY		OF ANY TILE FIELD
□ OTHER (Specify)		THE MEADEST MEIGURODS (CIDCLE OME)
IS THIS A REPLACEMENT WELL? YES NOTE		THE NEAREST NEIGHBORS (CIRCLE ONE)
1		SEPTIC TILE FIELD CESSPOOL OR PRIVY
ABANDONMENT DATE FOR OLD WELL		ISFROM COMPLETED WELL.
ABANDONMENT METHOD		IS COMPLETED WELL LOCATED AS SHOWN
	/	ON APPLICATION FORM?
	DRILLING METHOD	IF NO, DESCRIBE LOCATION CHANGE OR OTHER COMMENTS.
M AUGERED	☐ BORED ☐ CABLE TOOL	
□ DRIVEN	☐ JETTED ☐ AIR ROTARY	
	☐ REVERSE ☐ WASHED	, 4 ₃
OTHER (Specify)	701	
TOTAL DEPTH DRILLE	D	
CASING SEQUENCE		•
	INNER OUTER	
0.000.00	+1.0'	
CASING TOP		
CASING BOTTOM	26.0	
CASING DIAMETER		
CASING MATERIAL	PVC	De 22-04 SHA
	SCREEN SEQUENCE	De. 22-0-1 3111
	INNER OUTER	7
SCREEN TOP	26.0	
SCREEN BOTTOM	23.5'	DRILLERS LOG DESCRIPTION TOP OF STRATA BOTTOM OF STRATA
SCREEN DIAMETER	3.''	CT BRN F SAND W/ ()
SCREEN MATERIAL	PVC	1 7 C CLAY
	WRITTEN APPROVAL FOR SCREENING/ GRAVEL PACKING MORE THAN ONE AQU-	TAN CLAYEY F-M SAN) 71
	IFER MUST BE OBTAINED FROM DNREC.	LT. BRN-TAN CLAYEY 171
GROUT TYPE: CEMENT □ BENTONITE CLAY 🔀		SAND
OTHER:		WHITE -TAN M-C 19 57
FROM		1 (0 0) 0 01
NON-GROUT BACKFILL OF WELL ANNULUS		LT. GRAY CLAY 57 70
TYPE COLLAPSE FROM TO FEET		
GRAVEL PACK: TYPE		<u> </u>
FROMTOA_FEET		
STATIC WATER LEVEL: DATE 3-30-38		
23 FT. (Below, above) GROUND SURFACE		
PUMPING WATER LEVEL: 11 FT. BELOW GRADE		
AFTER HOURS ÀT \(\frac{1}{2} \) GPM.		
WELL HEAD COMPLETION:		SUPPLEMENTAL DRILLERS LOG ATTACHED YES D NO 2
•		PAGE 1 OF PAGES
TYPE: PITLESS ADAPTOR D		1 1 /
		COMPANYNAME
12 INCHES ABOVE GRADE.		SIGNATURE OF PRILLER IN CHARGE: DATE
		Soland C. Landy 5/16/13