STATE OF DELAWARE

	DEPARTMENT OF TRANSPORTATION
	DIVISION OF HIGHWAYS
F.A. Project:	S.R. 26, Atlantic Avenue from Clarksville to Assawoman Canal

Contract: 24-112-10

Boring Location: Sta. 29+50, 100' Lt. C.L.

Boring Surface Elev.: + 12.1'

Reference: Survey

Wt. of Casing Hammer:
Wt. of Sample Hammer: 140
Type of: D-Sampler:
S-Sampler:
U-Sampler:
Comp Bit: Lbs. Average Fall: Average Fall:
O.D. of Sampler:
O.D. of Samp. Tube:
O.D. of Samp. Tube:
O.D. of Rock Core: Lbs. O.D. O.D. Split-Barrel Core Bit: Õ.D.

Casing Size: Hollow Stem Auger:

Inches

From Depth of: From Depth of:

0.0'

To:

3.5'

Boring No.: IB#16

Water Level Readings Date

Time

Depth of Hole

Depth of Casing

Depth of Water

Elev. of Water

5.0

Ft.; Ft.; Dia. U-Sample Boring: U-Samples:

Ft. Ft.

Pay Quantities: 2 1/2 in. Dla. Dry Sample Boring: No. of 2 in. Dia. Shelby Tubes: 2 1/2 in. Dla. Contin. Sample Boring:

Boring Contractor: Walton Corporation Driller: Dave Burt

Helpers: Jim Deal & Wayne Hurd

Q:22-16

No. of:

Core Drilling in Rock:

Depth (ft.)	Daily Progress	No.	Sample Depth	Blows/6"	Sample Description	Class./G.I.	Remarks
3		1	2.0'	1 3 4 3	Moist loose brown fine to coarse sand w/ some silt.	A-2-4(0)	
		2	3.5' \ 4.0'	2 2 4	Moist loose brown fine to coarse sand w/ trace of silt.	A-3	
			5.0'		23" RECOVERY 16" RECOVERY		
6		3	5.0' 6.5'	4 7 7	Wet medium dense brownish gray silty fine sand w/trace of coarse sand. 18" RECOVERY	A-2-4(0)	
				:			
9					•		
12							
15			:				·
	•						·
	:						
18							

Remarks:

Reviewed By:	Soils Supervisor:
	Solia Supervisor.

KEY TO SYMBOLS

Symbol	Desc	ript	ion
--------	------	------	-----

Strata symbols

Sand

Silty sand

Notes:

- 1. Exploratory borings were drilled on 5-4-2006 using a 3 1/4-inch diameter hollow stem auger.
- No free water was encountered at the time of drilling or when re-checked the following day, unless recorded on 1st page.
- 3. Boring locations were taped from existing features and elevations extrapolated from survey unless otherwise reported.
- 1. These logs are subject to the limitations, conclusions, and recommendations in this report.
- 5. Results of tests conducted on samples recovered are reported on the logs.