STATE OF DELAWARE

DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

No. of:

Core Drilling in Rock:

F.A. Project: S.R. 26, Atlantic Avenue from Clarksville to Assawoman Canal Contract: 24-112-10

Boring Location: Sta. 15+80, 5' Lt. C.L.

Boring Surface Elev.:

Reference:

Wt. of Casing Hammer:
Wt. of Sample Hammer: 140
Type of: D-Sampler: S-Sampler:
U-Sampler:
Core Bit: Average Fall: Average Fall: O.D. of Sampler: O.D. of Samp. Tube: O.D. of Samp. Tube: O.D. of Rock Core: Lbs. Lbs. 30 2 Split-Barrel O.D. O.D. O.D. O.D.

Casing Size: 3 1/4"
Hollow Stem Auger: From Depth of: From Depth of: To: To: Inches 0.0

Water Level Readings Date 5/12/2006 Depth of Hole 8.0' Time

Depth of Water 7.5' **Depth of Casing** Elev. of Water 6.0' -7.5

5:00 p.m.

Pay Quantities: 2 1/2 in. Dia. Dry Sample Boring: No. of 2 in. Dia. Shelby Tubes: 2 1/2 in. Dia. Contin. Sample Boring:

Ft.; Ft.; Dia. U-Sample Boring: U-Samples:

Ft. Ft.

6.0

Boring No.: RB#7

Boring Contractor: Walton Corporation Driller: Dave Burt

Helpers: Jim Deal & Wayne Hurd

D:22-28

		- 28					
Depth (ft.)	Daily Progress	No.	Sample Depth	Blows/6"	Sample Description	Class./G.I.	Remarks
3		1	2.0' 4.0'	2 4 3 4	Wet loose brown silty fine sand w/some coarse sand, trace of gravel. 22" RECOVERY	A-2-4(0)	
		2	4.0'	3 2 5 6	Wet loose brown coarse to fine sand w/ some silt, trace of gravel.	A-2-4(0)	
6		3	6.0' 6.0'	2 6 7 6	20" RECOVERY Wet medium dense brown fine to coarse sand w/trace of silt and gravel. 20" RECOVERY	A-3	
9		4	8.0'	4 5 3 3	Wet loose brown coarse to fine sand w/ trace of silt and gravel.	A-1-b	
			10.0'		20" RECOVERY		,
12							
15							
18							

Remarks:

Reviewed By:	Soils Supervisor:
iteriencu my.	SOUIS SUPELVISOL.

KEY TO SYMBOLS

Symbol Description

Strata symbols

·					_
-	٠	-		٠	n
11.0	l s	ш			м
110			и	4	•
11.	۰	١,	•	۰	
31.	•		•	•	
111*	•				1 1
111:	1:	1:1	в		:1
112		131	131	м	131
11.3	12	13	ы	ы	131
116	ĸ	L.	ы	м	Hil

Silty sand



Sand

Notes:

- 1. Exploratory borings were drilled on 5-12-2006 using a 3 1/4-inch diameter hollow stem auger.
- 2. No free water was encountered at the time of drilling or when re-checked the following day, unless recorded on 1st page.
- 3. Boring locations were taped from existing features and elevations extrapolated from survey unless otherwise reported.
- 4. These logs are subject to the limitations, conclusions, and recommendations in this report.
- 5. Results of tests conducted on samples recovered are reported on the logs.