## STATE OF DELAWARE DEPARTMENT OF TRANSPORTATION

**DIVISION OF HIGHWAYS** 

F.A. Project: S.R. 26, Atlantic Avenue from Clarksville to Assawoman Canal Contract: 24-112-10

Boring Location: Sta. 121+90, 15 Lt. C.L.

**Boring Surface Elev.:** 

Wt. of Casing Hammer:
Wt. of Sample Hammer: 140
Type of: D-Sampler: Split
S-Sampler:
U-Sampler: Average Fall: Average Fall: O.D. of Sampler: O.D. of Samp. Tube: O.D. of Samp. Tube: O.D. of Rock Core: Lbs. Lbs. O.D. 30 Split-Barrel O.D. O.D. Core Bit: Ö.D.

: 3 1/4" Hollow Stem Auger: Casing Size:

Inches

From Depth of: From Depth of:

No. of:

0.0

Reference:

To:

6.0

Boring No.: RB#60

Water Level Readings Date

5/11/2006

Time 9:00 a.m. Depth of Hole 8.0

8.0

Depth of Casing 6.0

Depth of Water 6.0

Elev. of Water

-6.0

Pay Quantities: 2 1/2 in. Dia. Dry Sample Boring: No. of 2 in. Dia. Shelby Tubes: 2 1/2 in. Dia. Contin. Sample Boring:

Ft.; Fť; Dia. U-Sample Boring: U-Samples:

Ft. Ft.

Boring Contractor: Walton Corporation Driller: Dave Burt

Helpers: Jim Deal & Wayne Hurd

(のことにしてる

Core Drilling in Rock:

	•			mayno iic	## W134-65
Depth (ft.)	Daily Progress	No.	Sample Depth	Blows/6"	Sample Description Class./G.I. Remarks
3		1	2.0' 4.0'	1 3 4 4	Moist loose brown silty fine to coarse sand. A-2-4(0)  23" RECOVERY
6		2	4.0' 6.0'	5689	Moist medium dense brown fine to coarse sand w/some silt.  24" RECOVERY
		3	6.0' 8.0'	9 6 7 8	Wet medium dense brown silty fine sand w/ A-2-4(0) some coarse sand.
9		4	8.0'	9 15 12 15	Wet medium dense brown fine to coarse sand w/trace of silt.
			10.0'		22" RECOVERY
12					
15_					
18					

Remarks:

**Reviewed By:** 

Soils Supervisor:

## **KEY TO SYMBOLS**

Symbol Description

Strata symbols

п	•			•	•	٠	t
ш	•		۰		٠	۰	
ш	•		٠		٠		E
ш	٠	٠.				٠.	
ш	٠		•	•			
ш	•	1-1	•	•			
ш	•		-	•		١.	t .

Silty sand



Sand

## Notes:

- Exploratory borings were drilled on 5-11-2006 using a 3 1/4-inch diameter hollow stem auger.
- No free water was encountered at the time of drilling or when re-checked the following day, unless recorded on 1st page.
- 3. Boring locations were taped from existing features and elevations extrapolated from survey unless otherwise reported.
- 1. These logs are subject to the limitations, conclusions, and recommendations in this report.
- 5. Results of tests conducted on samples recovered are reported