

73990 LOCAL 10 14

ROBERT W MOULD

DATE 5/9/88

YES: PERMANENT

DOMESTIC AGRICULTURAL
COMMERCIAL INDUSTRIAL
IRIGATION PUBLIC
MONITOR Dewatering
HEAT PUMP RECHARGE HEAT PUMP SUPPLY

OTHER (Specify)

REPLACEMENT WELL? YES NO

START DATE FOR OLD WELL N/A

START METHOD N/A

DRILLING METHOD

BORED CABLE TOOL
JETTED AIR ROTARY
REVERSE WASHED

DEPTH DRILLED 195'

CASING SEQUENCE

Table with 2 columns: INNER, OUTER. Row 1: 2', 177', 4" PVC

SCREEN SEQUENCE

Table with 2 columns: INNER, OUTER. Row 1: 165', 195', 4" PVC

WRITTEN APPROVAL FOR SCREENING/ GRAVEL PACKING MORE THAN ONE AQUIFER MUST BE OBTAINED FROM DNR.

CEMENT BENTONITE CLAY

TO 160 FEET

BACKFILL OF WELL ANNULUS

FROM TO FEET

CK TYPE MDRIE #2

TO 200 FEET

TEST LEVEL DATE 5/9/88

Below, above) GROUND SURFACE

WATER LEVEL: 27 FT BELOW GRADE

HOURS AT 25 GPM.

AD COMPLETION:

ADAPTOR

FEET ABOVE GRADE

TYPE OF PERMANENT PUMP INSTALLED:

PUMP MANUFACTURE Geyl OS
RATED CAPACITY (GPM) 11
PUMP INTAKE SETTING 50 FT BELOW GRADE


073990

THE COMPLETED WELL IS?

A. AT LEAST 15' FROM ANY FOUNDATION
B. AT LEAST 50' FROM ANY SEPTIC TANK
C. AT LEAST 10' FROM TOWN SEWER LINE
D. AT LEAST 100' FROM THE NEAREST EDGE OF ANY TILE FIELD

THE NEAREST NEIGHBORS (CIRCLE ONE)

SEPTIC TILE FIELD CESSPOOL OR PRIVY
IS FROM COMPLETED WELL
IS COMPLETED WELL LOCATED AS SHOWN ON APPLICATION FORM?
IF NO, DESCRIBE LOCATION CHANGE OR OTHER COMMENTS.



R: 24-17

DRILLERS LOG DESCRIPTION: TOP OF STRATA BOTTOM OF STRATA
TAN + red fine sand 0 20
Tan med. sand 20 40
Tan med. sand 40 60
lt orange sand 60 80
Fine gray sand 80 100
w/ fine clay 100 140
Blue clay 140 165
Med sand 165 190
Blue clay 190 200

SUPPLEMENTAL DRILLERS LOG ATTACHED YES NO
PAGE 1 OF 1 PAGES
COMPANY NAME Delmarva Drilling Co.
SIGNATURE OF DRILLER IN CHARGE DATE
Kerry M. Kahl 5/9/88