
D(DZ-90

DEPTH W

SURFACE ELEVATION: + 34.90 FT TOP OF WELL C.SING: + 37.01 FT. COORDINATES: N.581,240.5 FT. E 436,630.4 FT.



35--

NOTES FOR WELL C22:

ENGTH F WELL

- DRILLING COMPLETED TO A DEPTH OF 32 FEET ON MARCH 15, 1984.
- 2. NO CASING USED IN DRILLING.
- 3. BENTONITE DRILLING MUD USED.
- 4. 4-INCH DIAMETER PVC WELL CASING INSTALLED TO 30 FEET.
- 20 FEET OF 4-INCH DIAMETER PVC SCREEN SET FROM 10 TO 30 FEET.
- 6. GROUNDMATER LEVEL MEASURED AT: ELEVATION 25.69 FT. (3-17-84) ELEVATION 25.95 FT. (4- 3-84) ELEVATION 26.33 FT. (5- 2-84)
- 7. DELAWARE WELL PERMIT NO.

12)

KEY:

SHELBY TUBE

52-90

- NO SAMPLE
 RECOVERED USING
 SHELBY TUBE SAMPLER
- SPLIT SPOON SAMPLE

NO SAMPLE

RECOVERY USING SPLIT SPOON SAMPLER

WELL LOGS

GENERAL NOTES:

- 1. THE FIGURE IN THE COLUMN LABELED "BLOW COUNT" REFER TO THE NUMBER OF BLOWS REQUIRED TO DRIVE A SPLIT SPOON SAMPLER FOR ONE FOOT.
 A 3-INCH OUTSIDE DIAMETER SPOON WAS USED WITH A 300 POUND DRIVE WEIGHT FALLING 30 INCHES.
- 2. LETTER "P" IN THE "BLOW COUNT"
 COLUMN INDICATES THAT THE SAMPLE
 WAS OBTAINED USING A SHELBY TUBE
 SAMPLER. THE SAMPLE TUBE IS 30
 INCHES LONG, 3 INCHES O.D., AND
 ABOUT 2.9 INCHES I.D. MADE OF
 STEEL OR BRASS. THE SAMPLE
 TUBES WERE ADVANCED HYDRAULICALLY.
- 3. ELEVATIONS ARE IN FEET REFER TO MEAN SEA LEVEL DATUM OF 0.0 FEET.
- COORDINATES ARE IN FEET REFER TO THE STATE OF DELAWARE GRID SYSTEM.