

Qh 51-12

Owner: Arthur Banks  
Location: Frankford, Delaware  
Date Started:  
Depth: 99'  
Static Water Level: 10'  
Pumping level: 28'  
GPM: 70 gallons  
Diameter: 4" well

Date:

Driller:

Qh 51-12 (Qh 9) elev. 35' Log

0	1 1/2'	top soil, fill and subsoil clay
1 1/2'	19'	sand
19'	29'	clay "soft"
29'	88'	fine sand, very fine sand, coarse sand, small and large gravel and silt all mixed
88'	down	fairly good mixed water bearing sand better graded the further we cased the hole down until at 100 ft. turned very fine.

New 4' led  
7/26/85

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

9-155  
(October 1956)

Qh 51-12

WELL SCHEDULE

Date JUNE 17, 1955 Field No. \_\_\_\_\_  
Record by JACK CASKEY Office No. Qh 9  
Source of data ARTHUR BANKS

1. Location: State DEL County SUSSEX

Map \_\_\_\_\_  
T 8 N R \_\_\_\_\_ E \_\_\_\_\_  
W \_\_\_\_\_

2. Owner: ARTHUR BANKS Address FRANKFORD, DEL.

Tenant \_\_\_\_\_ Address \_\_\_\_\_  
Driller PAUL WHITE Address \_\_\_\_\_

3. Topography COASTAL PLAIN

4. Elevation 35 ft. above \_\_\_\_\_ below \_\_\_\_\_

5. Type: Dug, drilled, driven, bored, jetted \_\_\_\_\_ 1950

6. Depth: Rept. 99 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 4 in., to \_\_\_\_\_ in., Type \_\_\_\_\_

Depth ft., Finish: SCREEN 10'

8. Chief Aquifer \_\_\_\_\_ From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others \_\_\_\_\_

9. Water level 10 ft. meas. 7 1950 above \_\_\_\_\_ below \_\_\_\_\_

10. Pump: Type RECIPROCATING Capacity \_\_\_\_\_ G. M.

Power: Kind ELECTRIC Horsepower 1/2

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_

Drawdown 15 ft. after \_\_\_\_\_ hours pumping 70 G. M.

12. Use: Dom., Stock, PS, RR, Ind, Irr., Obs.

Adequacy, permanence Adequate

13. Quality Good Temp \_\_\_\_\_ °F.

Taste, odor, color Very Irony Sample No \_\_\_\_\_

Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) SEE LOG

