## STATE OF DELAWARE **DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS**

Reference:

30

0.0

F.A. Project: S.R. 26, Atlantic Avenue from Clarksville to Assawoman Canal

Contract: 24-112-10

Boring Location: Sta. 21+25, 25' Rt. C.L.

**Boring Surface Elev.:** 

Lbs. Lbs.

Wt. of Casing Hammer:
Wt. of Sample Hammer: 140
Type of: D-Sampler: Split
S-Sampler:
U-Sampler:
Core Bit: Split-Barrel

Casing Size: 3 1/4"
Hollow Stem Auger:

Time

11:00 a.m.

O.D. Inches

Depth of Hole

6.0'

O.D.

O.D. O.D. Average Fall: Average Fall: O.D. of Sampler; O.D. of Samp. Tube: O.D. of Samp. Tube: O.D. of Rock Core: From Depth of: From Depth of:

Depth of Casing 4.0'

Depth of Water 4.0'

To: To:

Elev. of Water 4.0

Pay Quantities:

Water Level Readings Date 5/12/2006

Values States of the Court of the Court of 2 in. Dia. Dry Sample Boring: No. of 2 in. Dia. Shelby Tubes: 2 1/2 in. Dia. Contin. Sample Boring:

8.0

Ft.; Ft.;

Dia. U-Sample Boring: U-Samples: No. of: Core Drilling in Rock:

Ft. Ft.

6.01

Boring No.: RB#9

Boring Contractor: Walton Corporation
Driller: Dave Burt

Helpers: Jim Deal & Wayne Hurd

Q;22-09

Depth (ft.)	Daily Progress	No.	Sample Depth	Blows/6"	Sample Description Class./G.I.	Remarks
3		1	2.0' 4.0'	2 3 5 3	Moist loose brown silty fine to coarse sand. A-2-4(0)  21" RECOVERY	
6		2	4.0' 6.0'	1 2 1 1	Wet very loose brown silty fine to coarse sand w/trace of gravel.  20" RECOVERY	
		3	6.0' 8.0'	1 1 2 1	Saturated very loose brown fine sand w/ A-2-4(0) some coarse sand and silt, trace of gravel.  22" RECOVERY	
9		4	8.0'	2 3 5 3	Saturated loose brown silty fine to coarse A-2-4(0) sand.	
12			10.0		20" RECOVERY	
				,		
15						
18						

Remarks:

Reviewed By:	Soils Supervisor:	
•	 •	

## **KEY TO SYMBOLS**

Symbol	Descr	cip	tion
--------	-------	-----	------

## Strata symbols

г	٠	•	•	٠	•	n
н			•	ы	11	ΙŧΙ
н	•		•		٠.	м
ı						

Silty sand



Sand

## Notes:

- Exploratory borings were drilled on 5-12-2006 using a 3 1/4-inch diameter hollow stem auger.
- No free water was encountered at the time of drilling or when re-checked the following day, unless recorded on 1st page.
- 3. Boring locations were taped from existing features and elevations extrapolated from survey unless otherwise reported.
- 4. These logs are subject to the limitations, conclusions, and recommendations in this report.
- 5. Results of tests conducted on samples recovered are reported on the logs.