STATE OF DELAWARE **DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS**

F.A. Projec	S.R. 26, Atlantic Avenue from Clarksville to Assawoman Canal	Boring No.: IB#1			

Contract: 24-112-10 Boring Location: Sta. 28+50, 90' Lt. C.L.

Boring Surface Elev.: + 10.6'

Wt. of Casing Hammer:
Wt. of Sample Hammer: 140
Type of: D-Sampler: Splin
S-Sampler: Average Fall:
Average Fall:
O.D. of Sampler:
O.D. of Samp. Tube:
O.D. of Samp. Tube:
O.D. of Rock Core: Lbs. Lbs. 30 Split-Barrel O.D. O.D. 0.D. 0.D. U-Sampler: Core Bit:

Casing Size: Jary Hollow Stem Auger:

From Depth of: From Depth of: Inches

0.0 To:

Reference: Survey

3.51

Water Level Readings Date

Time

Depth of Hole

Depth of Casing

Depth of Water

Elev. of Water

5.0

Ft.; Ft.;

Dia. U-Sample Boring: U-Samples: No. of: Core Drilling in Rock:

Ft. Ft.

Pay Quantities: 2 1/2 in. Dia. Dry Sample Boring: No. of 2 in. Dia. Shelby Tubes: 2 1/2 in. Dia. Contin. Sample Boring:

Boring Contractor: Walton Corporation Driller: Dave Burt

Helpers: Jim Deal & Wayne Hurd

Q:22-14

Depth (ft.)	Daily Progress	No.	Sample Depth	Blows/6"	Sample Description	Class./G.I.	Remarks
3		1	2.0'	2 4 4 4	Moist loose brown silty coarse to fine sand.	A-2-4(0)	
		2	3.5' 4.0' 5.0'	5 7 7	Wet medium dense brownish gray silty coarse sand w/some fine sand. 22" RECOVERY	A-2-4(0)	
6		3	5.0' 6.5'	8 12 15	Wet medium dense brownish gray coarse sand w/some fine sand and clay. 18" RECOVERY	A-2-4(0)	
9			:				
12					•		
15							,
18							

Remarks:

Reviewed By:	Soils Supervisor:

KEY TO SYMBOLS

Svm	bol	De	scr	in	tion	i
~		20		-	$-\tau_{OI}$	ŀ

Strata symbols

Silty sand

Sand

Notes:

- 1. Exploratory borings were drilled on 5-4-2006 using a 3 1/4-inch diameter hollow stem auger.
- No free water was encountered at the time of drilling or when re-checked the following day, unless recorded on 1st page.
- 3. Boring locations were taped from existing features and elevations extrapolated from survey unless otherwise reported.
- 2. These logs are subject to the limitations, conclusions, and recommendations in this report.
- 5. Results of tests conducted on samples recovered are reported on the logs.