STATE OF DELAWARE **DEPARTMENT OF TRANSPORTATION**

DIVISION OF HIGHWAYS F.A. Project: S.R. 26, Atlantic Avenue from Clarksville to Assawoman Canal Boring No.: PB#5

Contract: 24-112-10

Boring Location: Sta. 13+90, C.L.

Boring Surface Elev.:

Reference:

Wt. of Casing Hammer: Wt. of Sample Hammer: Type of: D-Sampler: S-Sampler: U-Sampler: Core Bit: Average Fall: Average Fall: O.D. of Sampler: O.D. of Samp. Tube: O.D. of Samp. Tube: O.D. of Rock Core: Lbs. Lbs. O.D. O.D. IN. IN. IN. IN. 140 30 2 Split-Barrel

Casing Size: 3 1/4 Hollow Stem Auger:

Inches

From Depth of: From Depth of:

0.0'

To: To:

12.0'

Water Level Readings Date 5/3/2006

Time 9:00 a.m. Depth of Hole 8.0

Depth of Casing

Depth of Water 7.0'

Elev. of Water

14.0

Ft.; Ft.;

Dia. U-Sample Boring: U-Samples: No. of: Core Drilling in Rock:

Ft. Ft.

Pay Quantities: 2 1/2 in. Dla. Dry Sample Boring: No. of 2 in. Dla. Shelby Tubes: 2 1/2 in. Dla. Contin. Sample Boring:

Boring Contractor: Walton Corporation Driller: Dave Burt

Helpers: Jason Truver & Wayne Hurd

Q132-26

Depth (ft.)	Daily Progress	No.	Sample Depth	Blows/6"	Sample Description	Class./G.I.	Remarks
3		1	2.0'	2 4 5 5	Moist loose brown fine sand w/some silt and coarse sand, trace of gravel.	A-2-4(0)	
6		2	4.0° 4.0° 6.0°	3 3 3 2	20" RECOVERY Moist loose brown fine to coarse sand w/ some silt, trace of coarse sand. 20" RECOVERY	A-2-4(0)	
		3	6.0'	1 2 3 5	Wet loose brown fine sand w/some silt, trace of coarse sand.	A-2-4(0)	
9		4	8.0°	5 5 5 5 5	Saturated loose brown fine sand w/some silt. 20" RECOVERY	A-2-4(0)	
12		5	10.0'	3 4 3 2	Saturated loose brown fine sand w/some silt, trace of coarse sand and gravel. 18" RECOVERY	A-2-4(0)	
		6	12.0'	2 5 8	Saturated loose brown fine sand w/some silt and coarse sand, trace of gravel. 20° RECOVERY	A-2-4(0)	
15		7	14.0'	5 7 6 6	Saturated medium dense brown fine sand w/some coarse sand and silt, trace of gravel. 16" RECOVERY	A-2-4(0)	
18							

Remarks:

Reviewed By:	Soils Supervisor:	

KEY TO SYMBOLS

Symbol	Descr	iption
--------	-------	--------

Strata symbols

Sa

Sand

Notes:

- Exploratory borings were drilled on 5-3-2006 using a 3 1/4-inch diameter hollow stem auger.
- No free water was encountered at the time of drilling or when re-checked the following day, unless recorded on 1st page.
- 3. Boring locations were taped from existing features and elevations extrapolated from survey unless otherwise reported.
- 4. These logs are subject to the limitations, conclusions, and recommendations in this report.
- 5. Results of tests conducted on samples recovered are reported on the logs.