

697694



**FLUID CONDUCTIVITY
TEMPERATURE
LOG**

Company CAMP, DRESSER & MCKEE		Company CAMP, DRESSER & MCKEE INC.	
Well MW#2		Well MW#2	
Field PLANTATION		Field PLANTATION	
Country BROWARD		Country BROWARD	
State/Prv FL		State/Prv FLORIDA	
Location		Location	
Permanent Datum	PAD	Elevation	
Log Measured From	PAD	KB	
Drilling Measured From	PAD	DF	
		GL	
Date	29-JUNE-2000		
Run Number	120		
Depth Driller	1932		
Depth Logger	1932		
Bottom Logged Interval	1932		
Top Log Interval	SURFACE		
Open Hole Size	NA		
Type Fluid	WATER		
Density / Viscosity	NA		
Max. Recorded Temp.	73 DEGF		
Estimated Cement Top	NA		
Time Well Ready	ON ARRIVAL		
Time Logger on Bottom	0900		
Equipment Number	102		
Location	FT. MYERS		
Recorded By	LEE		
Witnessed By	S. MAGENHEIMER		
Run Number		Bit	
Borehole Record	From	To	Size
From			Weight
To			From
			To
Casing Record	Size	Wgt/ft	Top
Surface String	6.625"		SURFACE
Prod. String			Bottom
Production String			1932
Liner			


<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


FLORIDA DOWN PASS-5 GPM
GEOPHYSICAL LOGGING, INC.

Database File: plantmw2.db
 Dataset Pathname: pass1.2
 Presentation Format: frrtemp.prs
 Dataset Creation: Thu Jun 29 18:25:51 2000 by Calc VER_5.4
 Charted by: Depth in Feet scaled 1:240






3




Database File: plantmw2.db
 Dataset Pathname: pass2 1
 Presentation Format: frttemp.prs
 Dataset Creation: Thu Jun 29 18:27:36 2000 by Calc VER_5.4
 Charted by: Depth in Feet scaled 1:240

60 TEMPERATURE (degF) 80 20 FLUID CONDUCTIVITY 200000
 -1 DELTA TEMP (degF) 1



60 TEMPERATURE (degF) 80 20 FLUID CONDUCTIVITY 200000
 -1 DELTA TEMP (degF) 1

Database File: plantmw2.db
 Dataset Pathname: pass3.1
 Presentation Format: frttemp.prs
 Dataset Creation: Thu Jun 29 18:28:29 2000 by Calc VER_5.4
 Charted by: Depth in Feet scaled 1:240



FRT Calibration Report

Serial Number: 31
 Tool Model: SONDEX
 Performed: Thu Sep 02 16:23:55 1999

Point #	Reading	Reference
1	25.985 cps	500.000
2	32.773 cps	1000.000
3	220.093 cps	10000.000
4	1235.570 cps	50000.000
5	3336.770 cps	100000.000
6		

Temperature Calibration Report

Serial Number: 31
 Tool Model: SONDEX
 Performed: Wed Sep 01 14:44:38 1999

Point #	Reading	Reference
1	128.676 cps	36 degF
2	400.758 cps	93 degF
3	625.501 cps	139 degF