



# HIGH RESOLUTION TEMPERATURE LOG

Company REESE, MACON & ASSOCIATES INC  
 Well IW #1  
 Field WELLINGTON  
 County PALM BEACH State FLORIDA

Company REESE, MACON INC. ①  
 Well IW #1  
 Field WELLINGTON  
 County PALM BEACH  
 State/Prv FLORIDA 683287

Location  
 Permanent Datum PAD  
 Log Measured From PAD  
 Drilling Measured From PAD  
 Elevation  
 Other Services  
 DHTVS  
 RTVS  
 K.B.  
 D.F.  
 G.L.

Date	22-JUNE-2001
Run Number	RTS
Depth Driller	3502
Bottom Logged Interval	2813'
Top Log Interval	SURFACE
Open Hole Size	1 1/2" & 1 1/4"
Type Fluid	WATER
Density / Viscosity	NA
Max. Recorded Temp.	84 DEFG
Estimated Cement Top	NA
Time Well Ready	ON ARRIVAL
Time Logged on Bottom	00:00
Equipment Number	102 FIM
Location	FT WEVERS
Recorded By	LEE
Witnessed By	N.MASKA
Run Number	BI
From	
To	
Run Number	BI
From	
To	
Size	1 1/2"
Weight	5 W.T.
Top	SURFACE
Bottom	27'95"

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

### Comments



# TEMPERATURE

Database File: well.db  
 Dataset Pathname: TEMP  
 Presentation Format: temp.prs  
 Dataset Creation: Fri Jun 22 07:09:14 2001 by Log VER\_5.4  
 Charted by: Depth in Feet scaled 1:240



82

82.2

500

82.2

82.3

550

82.3

82.3

600

82.3

650

82.3

82.4

700

82.4

82.5

750

82.4

82.4

800

82.5

82.5

850

82.5

82.5

900

82.5

82.5

950

82.5

82.6

1000

82.5

82.6

1050

82.6

82.4

1100

82.5

82.4

1150

82.4

82.4

1200


82.4






2000  
2050  
2100  
2150  
2200  
2250  
2300  
2350  
2400  
2450  
2500  
2550  
2600  
2650  
2700

82.5  
82.6  
82.5  
82.5  
82.6  
82.7  
82.7  
82.7  
82.6  
82.6  
82.5  
82.6  
82.6  
82.6  
82.6  
82.6  
82.7  
82.7  
82.7  
82.8  
82.9  
83.1  
83.2  
83.3



2750

2800



50 TEMPERATURE (degF) 150

70 TEMPERATURE (degF) 90

-1 DELTA TEMPERATURE (degF) 1

Temperature Calibration Report

Serial Number: 952  
 Tool Model: RTS  
 Performed: Wed May 09 10:46:47 2001

Point #	Reading		Reference	
1	88.3	cps	33	degF
2	767.225	cps	72	degF
3	1247.13	cps	100	degF

