

694994



GEOPHYSICAL WELL SURVEY

CLIENT Miami Dade Water & Sewer Authority Date June 10, 1980
 Well No. I-9 Project No. BC55900.92

Location: State Florida County Dade
SE 1/4 SE 1/4 NW 1/4 Sec. 21 T. 56 N R. 40 E
 Logged by D. Snyder Observer J. Lehnen

Owner: Miami Dade Water & Sewer Authority
 Well: I-9
 Driller: Alsay-Pippin Date Drilled: 1980
 Surface Elevation: 10 ft. Estimated Measured Above MSL
 T.D. Logged 1,845' T.D. Driller 1,850'
 Hole Dia. 12" From 980' To 1,850' Dia. From To
 Casing I. D. 43" From 0' To 980' Dia. From To
 Finish: Open hole Screen Gravel Other
 Water Level: ft. Above Below MP. Above Below Land Surface
 Yield: Flow gpm Pump gpm
 Drawdown: ft. after hours pumping @ gpm
 Use: Dom. Stock PS Ind. Irr. Test
 Heating or cooling Drainage Disposal Obs.

Water Quality:
 Temp. °F; Sp. Cond. ; Iron ppm
 Cl⁻ ppm; SO₄⁻ ppm; Total Hardness ppm
 Color Odor Taste

Log Scales


Electric Log SP <u>25</u> millivolts/inch Res. <u> </u> ohm-meters/inch Res. <u>4</u> ohms/inch	Fluid Resistivity <u> </u> ohm-meters/inch @ <u> </u> °F
Gamma Ray Log <u>10</u> Counts/sec/in. Time Constant <u>4</u> sec. Logging speed <u>35</u> FPM	Fluid Velocity <u> </u> Counts/min/inch <u> </u> FPM (continuous) Q = <u> </u> gpm
Temperature SEE LOG <u> </u> °F to <u> </u> °F Logging speed <u>30</u> FPM	Caliper <u>10</u> inches to <u>32</u> inches Logging speed <u>30</u> FPM

Water Samples
 Depths sampled:

Remarks:

FE 1029

TEXAS INSTRUMENTS INCORPORATED, HOUSTON, TEXAS, U.S.A. CHART NO. WH



LEFT FEET LEFT

TEXAS INSTRUMENTS INCORPORATED, HOUSTON, TEXAS, U.S.A. CHART NO. WH MADE IN U.S.A.

(2)

1400'

1500'

1600'

1700'

1800'

TEMPERATURE LOG

74 75 76 77 78 79 80 81 82 83

°F

FEET

2

FEET

2

