


Southern Resource Exploration

TEMPERATURE LOG

COMPANY	: DIVERSIFIED DRILLING INC.	OTHER SERVICES:
WELL	: KNIGHTS TRAIL	
LOCATION/FIELD	: SARASOTA	
COUNTY	: SARASOTA	
STATE	: FLA.	
SECTION	: -	TOWNSHIP : - RANGE :
DATE	: 11/03/88	PERMANENT DATUM : 16 IN ELEVATIONS
DEPTH DRILLER	: 1599	ELEV. PERM. DATUM: KB :
		LOG MEASURED FROM: 16 IN DF :
LOG BOTTOM	: 1594.80	DRL MEASURED FROM: 16 IN GL :
LOG TOP	: 6.00	
CASING DRILLER	: 1599	LOGGING UNIT : BLUE
CASING TYPE	: STL	FIELD OFFICE : GUL
CASING THICKNESS	: .322	RECORDED BY : JCP
BIT-SIZE	: -	BOREHOLE FLUID : WATER FILE : ORIGINAL
MAGNETIC DECL.	: 00	RM : 0 TYPE : ANINT
MATRIX DENSITY	: -	RM TEMPERATURE : 0 LOG : 2
FLUID DENSITY	: 1.0	MATRIX DELTA T : 50 PLOT : TEMP 12
NEUTRON MATRIX	: -	FLUID DELTA T : 200 THRESH: 5000
REMARKS	:	
TEMPERATURE LOG APPR 80 HRS AFTER CEMENTING 8 INCH CASING		
<i>completing of</i>		

ALL SERVICES PROVIDED SUBJECT TO SRE STANDARD TERMS AND CONDITIONS
 TELEPHONE (904)-372-5950



2

550

600

650

700

750

800

850


900

950

1000

1050

1100



60

1150

1200

1250

1300

1350

1400


1450

1500

1550

1600

1602



70 DEG F 120 TEMP