

691432



CLIENT Miami-Dade Water & Sewer Authority Date 11/12/80
 Well No. I-3 Project No. BC55900.92

Location: State Florida County Dade
SW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 21 T. 56 N S R 40 E W

Logged by S. Skehan Observer F. Reynolds

Owner: Miami-Dade Water & Sewer Authority
 Well: I-3
 Driller: Alsay-Pippin Corp. Date Drilled: 1980
 Surface Elevation: 10 ft. Estimated Above MSL Measured
 T.D. Logged 3110' T.D. Driller 3110'
 Hole Dia. 22" From 2629' To 3110' Dia. _____ From _____ To _____
 Casing I. D. 23" From 0 To 2629' Dia. _____ From _____ To _____
 Finish: Open hole Screen Gravel Other
 Water Level: _____ ft. Above Below MP at Above Below Land Surface
 Yield: Flow _____ gpm Pump _____ gpm
 Drawdown: _____ ft. after _____ hours pumping @ _____ gpm
 Use: Dom. Stock PS Ind. Irr. Test
 Heating or cooling Drainage Disposal Obs.

Water Quality:
 Temp. _____ °F; Sp. Cond. _____; Iron _____ ppm
 Cl⁻ _____ ppm; SO₄²⁻ _____ ppm; Total Hardness _____ ppm
 Color _____ Odor _____ Taste _____

Remarks: _____

- Electric
- Gamma Ray
- Temperature
- Caliper
- Fluid Resistivity
- Fluid Velocity

Log Scales

Electric Log SP <u>2</u> millivolts/inch Res. <u>10</u> ohm-meters/inch Res. _____ ohms/inch	Fluid Resistivity _____ ohm-meters/inch @ _____ °F
Gamma Ray Log <u>10</u> Counts/sec/in. Time Constant <u>4</u> sec. Logging speed <u>25</u> ↑ FPM	Fluid Velocity _____ Counts/min/inch _____ FPM (continuous) Q = _____ gpm
Temperature <u>62</u> °F to <u>72</u> °F Logging speed <u>25</u> ↓ FPM	Caliper <u>8</u> inches to <u>32</u> inches Logging speed <u>25</u> ↑ FPM


Water Samples
 Depths sampled: _____



CH2M HILL
 Water Resources Division
 P.O. Box 1647
 Gainesville, Florida 32602
 (904) 377-2442

GEOPHYSICAL WELL SURVEY

FE 1029



MADE IN U.S.A. TEXAS INSTRUMENTS INCORPORATED, HOUSTON, TEXAS, U.S.A. CHART NO. WH

FEET LEFT