

CLIENT Miami-Dade Water & Sewer Authority Date 3/4/81
 Well No. 1-7 Project No. BC55900.92

Location: State Florida County Dade
 NW NE SE SW T. 21 S. 56 R. 40
 Logged by S. Skehan Observer J. Lehnen

Owner: Miami-Dade Water & Sewer Authority
 Well: 1-7
 Driller: Alsay-Pippin Corp. Date Drilled: 1980
 Surface Elevation: 10 ft. Estimated Measured Above MSL
 T.D. Logged 3125' T.D. Driller 3125'

Hole Dia. .22" From 2623' To 3125' Dia. From To
 Casing I. D. .23" From 0 To 2623' Dia. From To
 Finish: Open hole Screen Gravel Other
 Water Level: ft. Above Below MP. Above Below Land Surface
 Yield: Flow gpm Pump gpm
 Drawdown: ft. after hours pumping @ gpm
 Use: Dom. Stock PS Ind. Irr. Test
 Heating or cooling Drainage Disposal Obs.

Water Quality:
 Temp. °F; Sp. Cond. ; Iron ppm
 Cl⁻ ppm; SO₄⁻² ppm; Total Hardness ppm
 Color Odor Taste

Remarks:

Sheet of

Electric Caliper
 Gamma Ray Fluid Resistivity
 Temperature Fluid Velocity


694249

Log Scales

Electric Log SP <u> </u> millivolts/inch Res. <u> </u> ohm meters/inch Res. <u> </u> ohms/inch	Fluid Resistivity <u> </u> ohm meters/inch @ <u> </u> °F
Gamma Ray Log <u> </u> Counts/sec/in. Time Constant <u> </u> sec. Logging speed <u> </u> FPM	Fluid Velocity <u> </u> Counts/min/inch <u> </u> FPM (continuous) Q = <u> </u> gpm
Temperature <u> </u> 60 °F to <u> </u> 80 °F Logging speed <u> </u> FPM	Caliper <u> </u> inches to <u> </u> inches Logging speed <u> </u> FPM
Water Samples Depths sampled: <u> </u>	

CH2M HILL
 Water Resources Division
 P.O. Box 1647
 Gainesville, Florida 32602
 (904) 377-2442

GEOPHYSICAL WELL SURVEY



FE 1029

1600

1700

1800


1900

2000

2100

2200

2300



FOR OFFICIAL USE ONLY
UNCLASSIFIED
DATE 08-14-2010 BY 60322 UCBAW/BJS/STP

700

800

900

1000


1100

1200

1300

1400

1500



2400

2500

2600

2700

2800

2900

3000

3100

60°

62°

64°

66°

68°

70°

72°

74°

76°

78°

80°

35/m

35/m

Repeat 1" Shift

