


694944



CLIENT Miami-Dade Water & Sewer Authority Date 1/4/80
 Well No. I-8 Project No. BC55900.92

Location: State Florida County Dade
NE 1/4 NW 1/4 NE 1/4 Sec. 21 T. 56 N S R. 40 E W

Logged by J. Lehnen Observer _____

Owner: Miami-Dade Water & Sewer Authority
 Well: I-8
 Driller: Alsay-Pippin Corp. Date Drilled: 1979
 Surface Elevation: 10 ft. Estimated Above MSL Measured
 T.D. Logged 1850' T.D. Driller _____
 Hole Dia. 12-1/4" From 980' To 1850' Dia. _____ From _____ To _____
 Casing I. D. 44" From 0 To 930' Dia. _____ From _____ To _____
 Finish: Open hole Screen Gravel Other
 Water Level: _____ ft. Above Below MP, at Above Below Land Surface
 Yield: Flow _____ gpm Pump _____ gpm
 Drawdown: _____ ft. after _____ hours pumping @ _____ gpm
 Use: Dom. Stock PS Ind. Irr. Test
 Heating or cooling Drainage Disposal Obs.

Water Quality:
 Temp. _____ °F; Sp. Cond. _____; Iron _____ ppm
 Cl⁻ _____ ppm; SO₄²⁻ _____ ppm; Total Hardness _____ ppm
 Color _____ Odor _____ Taste _____

Remarks: _____

Electric Caliper
 Gamma Ray Fluid Resistivity
 Temperature Fluid Velocity


Log Scales

Electric Log SP <u>10</u> millivolts/inch Res. <u>see</u> ohm-meters/inch Res. <u>109</u> ohms/inch	Fluid Resistivity _____ ohm-meters/inch @ _____ °F
Gamma Ray Log <u>20</u> Counts/sec/in. Time Constant <u>4</u> sec. Logging speed <u>30</u> FPM	Fluid Velocity _____ Counts/min/inch _____ FPM (continuous) Q = _____ gpm
Temperature <u>70</u> °F to <u>80</u> °F Logging speed <u>30</u> FPM	Caliper <u>6</u> inches to <u>30</u> inches Logging speed <u>35</u> FPM

Water Samples
 Depths sampled: _____

CH2M HILL
 Water Resources Division
 P.O. Box 1647
 Gainesville, Florida 32602
 (904) 377-2442

GEOPHYSICAL WELL SURVEY



TEXAS INSTRUMENTS INCORPORATED, HOUSTON, TEXAS, U.S.A.

27

FEET LEFT
28

1400'

1500'

1600'

FEET LEFT
29

1700'

1800'

30/min

FEET LEFT
30

TEMPERATURE (°F)

70 71 72 73 74 75 76 77 78 79 80