OTHER SERVICES:

FLOM

CALIPER





PUMPING TEMPERATURE FLUID RESISTIVITY

RANGE :

KB

 \mathbf{DF}

 \mathbf{GL}

ELEVATIONS

THRESH:

: N/A

: N/A

: N/A

FLORIDAN MONITOR WELL

COMPANY : DIVERSIFIED DRILLING
WELL : FLORIDAN MONITOR WELL
LOCATION/FIELD : WEST PALM BEACH WTP

COUNTY : PALM BEACH STATE : FLORIDO

STATE : FLORIDA :

LOG BOTTOM

NEUTRON MATRIX

LOG TOP

DATE : 09/06/96 PERMANENT DATUM : PL
DEPTH DRILLER : 1384 ELEU. PERM. DATUM: N/6

ELEU. PERM. DATUM: N/A
1349.70 LOG MEASURED FROM: PL
843.40 DRL MEASURED FROM: PL

TOWNSHIP

CASING TYPE : STEEL FIELD OFFICE : DFB

CASING THICKNESS: .375 RECORDED BY : M. SCHILLING

BIT SIZE : 11 BOREHOLE FLUID : WATER FILE : ORIGINAL MAGNETIC DECL. RM TYPE : 9041A MATRIX DENSITY RM TEMPERATURE LOG FLUID DENSITY MATRIX DELTA T PLOT : MARK 4

FLUID DELTA T

REMARKS : OBSERVER: MURDOCK MONROE - BARNES, FERLAND, & ASSOCIATES



