

Company **WATER RESOURCE SLTS.**
Well **IW #1**
Field **NCWRF**
County **COLLIER**
State **FL**

Company **WATER RESOURCE SOLUTIONS, INC.**
Well **IW #1**
Field **NCWRF**
County **COLLIER** State **FLORIDA**
Location **SE 1/4 S27 T48S R25E**
Permanent Datum **PAD** Elevation **15'**
Log Measured From **GROUND LEVEL**
Drilling Measured From **PAD** Elevation **K.B. N/A
D.F. 20.5'
G.L. 15'**

Date	21-MAR-2003
Run Number	SEVEN
Depth Driller	3250'
Depth Logger	3250'
Bottom Logged Interval	3250'
Top Log Interval	CASING
Open Hole Size	12.25"
Type Fluid	WATER
Density / Viscosity	N/A
Max. Recorded Temp.	96 DEG F
Estimated Cement Top	N/A
Time Well Ready	0900
Time Logger on Bottom	0000
Equipment Number	102
Location	FT MYERS
Recorded By	LEE
Witnessed By	F. PROCTA

Run Number	Borehole Record		Tubing Record	
	Bit Size	From	Size	To
ONE	59.5"	SURFACE	415'	
TWO	12.25"	CASING	1450'	
THREE	12.25"	CASING	2500'	
SEVEN	12.25"	CASING	3250'	
Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	60"	375 W.T.	SURFACE	8"
Prod. String	48"	375 W.T.	SURFACE	410'
Production String	34"	375 W.T.	SURFACE	1300'
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

XYC/GR
DIL/LL3/SP
BHC/SONIC/VL
FLOWMETER




Entered into
OCULIS
South District

Database File: ncollw1.db
Dataset Pathname: run7/TEMPMP
Presentation Format: temp
Dataset Creation: Sat Mar 22 08:00:41 2003
Charted by: Depth in Feet scaled 1:240

50	TEMPERATURE (degF)	150	80	TEMPERATURE (degF)	120
-1	DELTA TEMPERATURE (degF)		-1	1	

1250



94.8

95.0

95.0

95.2

95.3

95.5

95.6


96.0


1300

1350

1400

1450






1500


1550

1600

1650

1700






1750

1800

1850

1900

1950



96.8

96.8

96.8


96.8

96.8

96.8

96.8

96.8



2000

96.8

96.8

2050

96.8

2100

96.8

96.8


2150


96.8

96.8

2200

96.8






2500

2550


2600

2650

2700



2750



2800

2850

2900

2950

96.3

96.2

96.0


95.7


95.6

95.6

95.7

96.0





3000


3050

3100

3150

3200

← Temperature



96.0

96.0

96.4

96.5

96.5

96.5

96.6

96.7

← Delta Temperature

← Temperature

50	TEMPERATURE (degF)	150
----	--------------------	-----

5230

80	TEMPERATURE (degF)	120
-1	DELTA TEMPERATURE (degF)	1

Temperature Calibration Report					
Serial Number:			15		
Tool Model:			MLS		
Performed:			Sat Mar 22 06:33:58 2003		
Point #	Reading		Reference		
1	283.882	cps	35		degF
2	543	cps	96.5		degF
3	848.398	cps	165		degF

