

Company **WATER RESOURCE SLTS.**
 Well **IW #2**
 Field **NCWRF**
 County **COLLIER**
 State **FL**

Company **WATER RESOURCE SOLUTIONS, INC.**
 Well **IW #2**
 Field **NCWRF**
 County **COLLIER** State **FLORIDA**
 Location **SE 1/4 S27 T48S R25E**
 Permanent Datum **PAD** Elevation **15'**
 Log Measured From **GROUND LEVEL**
 Drilling Measured From
 Other Services **SEE COMMENTS**
 Elevation **K.B. N/A D.F. 20.5' G.L. 15'**

Date **6-NOV-2003**
 Run Number **SIX**
 Depth Driller **2939'**
 Depth Logger **2872'**
 Bottom Logged Interval **2872'**
 Top Log Interval **CASING**
 Open Hole Size **12.25"**
 Type Fluid **WATER**
 Density / Viscosity **N/A**
 Max. Recorded Temp. **95 F**
 Estimated Cement Top **N/A**
 Time Well Ready **1100**
 Time Logger on Bottom **1130**
 Equipment Number **103**
 Location **FT. MYERS**
 Recorded By **CATHEY**
 Witnessed By **F. PROCTA**

Run Number	Bit	Borehole Record		Tubing Record			
		From	To	Size	Weight	From	To
ONE	58.5"	SURFACE	413'				
TWO	12.25"	413'					
THREE	47"	407'	1500'				
FOUR	12.25"	CASING	2939'				


Casing Record
 Surface String **60"** Size **375 W.T.** Wgt/Ft
 Prot. String **48"** Size **375 W.T.**
 Production String **42"** Size **375 W.T.**
 Liner


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

OTHER SERVICES:
 X-Y CALIPER/GAMMA RAY
 DUAL INDUCTION LL3/SP
 BOREHOLE COMPENSATED SONIC VIDEO
 Entered into **OCULUS**
 South District





1600

93.1

93.1

93.1

1650

93.1

93.1

1700

93.1

93.2

93.5

1750

93.5

93.5

1800

93.5

93.5

93.5

1850

93.5

93.5

1900

93.5

93.5

93.5

1950

93.6

93.6

2000

93.6

93.6

93.6

2050

93.6

93.6

2100

93.6

93.6

93.6

2150

93.6

93.6

2200

93.6

93.6

93.6

2250

93.6


93.6

2300

93.6

93.6

93.6



2350

93.6

93.6

2400

93.6

93.6

93.7

2450

93.7

93.7

2500

93.7


93.7

93.7

2550

94.4

94.4



2600

94.5

94.5

94.5

2650

94.2

94.2

2700

94.1

94.2

94.1

2750

94.1


94.0

2800


94.0

93.9

93.9



2850



93.9

-1 DELTA TEMPERATURE (degF) 1

80

TEMPERATURE (degF)

120

Temperature Calibration Report

Serial Number: 17
 Tool Model: MLS
 Performed: Fri Apr 04 14:49:15 2003

Point #	Reading		Reference	
1	320	cps	32	degF
2	700	cps	70	degF
3	2000	cps	200	degF

