

Company CITY OF PORT ST. LUCIE
 Well IW-1
 Field GLADES WWTF
 County ST. LUCIE
 State FLORIDA
 Location ST. LUCIE
 State FLORIDA
 Other Services RTS
 Permanent Datum
 Log Measured From G.L.
 Elevation
 K.B.
 D.F.
 G.L.
 Drilling Measured From

Date 19-DEC-2008
 Run Number 3200
 Depth Diller 3200
 Depth Logger 3200
 Bottom Logged Interval SURFACE
 Top Log Interval SURFACE
 Open Hole Size 24"
 Type Fluid WATER
 Density/Viscosity NA
 Max. Recorded Temp. 91 F
 Estimated Cement Top NA
 Time Well Ready 1000
 Time Logger on Bottom 0900
 Equipment Number 103
 Location FT. MYERS
 Recorded By GATHEY
 Witnessed By R. MILLER

Borehole Record		Borehole Record	
Run Number	Bit	From	To
ONE	64"	SURFACE	195'
TWO	12.25"	CASING	700'
THREE	5.2"	CASING	665'
FOUR	12.25"	CASING	2002'
		Size	Mag. #
		34"	373 WI
		44"	373 WI
		36"	373 WI
		26"	500 WI
		20"	FRP

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

YOUNGQUIST BROTHERS, Inc
 GEOPHYSICAL LOGGING DIVISION


TEMPERATURE


Database File: stglarts.db
 Dataset Pathname: RTS/TEMP
 Presentation Format: temp
 Dataset Creation: Fri Dec 19 09:18:53 2008 by Log 6.2_B4
 Charted by: Depth in Feet scaled 1:600





1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800





Temperature Calibration Report

Serial Number: 954
 Tool Model: RTS
 Performed: Tue Feb 27 11:24:16 2007

Point #	Reading		Reference	
1	338.01	cps	34	degF
2	789.32	cps	78	degF
3	1553.26	cps	152	degF

