



YOUNGQUIST BROTHERS, Inc
 GEOPHYSICAL LOGGING DIVISION

**FLUID-CONDUCTIVITY
 RECEIVED - TEMPERATURE LOG**
 APR 04 2008
 SOUTH DISTRICT

Company CHARLOTTE COUNTY UTILITIES
 Well IW-2
 Field BURNT STORE WWTP
 County CHARLOTTE
 State FL

Company CHARLOTTE COUNTY UTILITIES
 Well IW-2
 Field BURNT STORE WWTP
 County CHARLOTTE State FL

Location MALCOLM PIRNIE/MCNABB HYDROGEOLOGICAL

Other Services
 SEE COMMENTS

Permanent Datum Elevation
 Log Measured From
 Drilling Measured From
 K.B.
 D.F.
 G.L.


Date	27-MAR-2008	
Run Number	THREE	
Depth Driller	775'	
Depth Logger	775'	
Bottom Logged Interval	775'	
Top Log Interval	SURFACE	
Open Hole Size	14.75"	
Type Fluid	MUD	
Density / Viscosity	NA	
Max. Recorded Temp.	NA	
Estimated Cement Top	NA	
Time Well Ready	1400	
Time Logger on Bottom	0000	
Equipment Number	103	
Location	FT MYERS	
Recorded By	MOREY	
Witnessed By	M BLACK	
Borehole Record		
Run Number	Bit	From
ONE	12.25"	SURFACE
TWO	64"	SURFACE
THREE	14.75"	CASING
Casing Record		
Surface String	Size	54"
Prot. String	Wgd/Ft	.375" W.T.
Production String	Top	SURFACE
Liner	Bottom	220'

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

X-Y CALIPER
 DUAL INDUCTION



FCT

Database File: btstoiw2.db
 Dataset Pathname: run3/pass2
 Presentation Format: frtemp
 Dataset Creation: Thu Mar 27 14:28:28 2008 by Log 6.2_B4




250

300

350

400

450



5027

4958

4843

4897

4951

4911

5098


5011

5031

4944

5133

4991




500


550

600

650

700





FRT Calibration Report

Serial Number:	31		
Tool Model:	SONDEX		
Performed:	Wed Jul 12 08:38:31 2006		
Point #	Reading		Reference
1	30.817	cps	1000.000
2	171.328	cps	10000.000
3	448.517	cps	25000.000
4	965.867	cps	50000.000
5		cps	
6		cps	

Temperature Calibration Report

Serial Number:	31			
Tool Model:	SONDEX			
Performed:	Tue Feb 27 11:21:18 2007			
Point #	Reading		Reference	
1	128.595	cps	41	degF
2	265.492	cps	70	degF
3	697.392	cps	156	degF

