

Company **CHARLOTTE COUNTY UTILITIES**  
 Well **IW-2**  
 Field **BURNT STORE WWTP**  
 County **CHARLOTTE** State **FL**

Company **CHARLOTTE COUNTY UTILITIES**  
 Well **IW-2**  
 Field **BURNT STORE WWTP**  
 County **CHARLOTTE** State **FL**

Location **MALCOLM PIRNIE/MCNABB HYDROGEOLOGICAL**

Permanent Datum Log Measured From  
 Drilling Measured From

Elevation  
 Other Services  
 SEE COMMENTS

Elevation  
 K.B.  
 D.F.  
 G.L.

Date	07-APR-2008	
Run Number	FIVE	
Depth Driller	1460'	
Depth Logger	1460'	
Bottom Logged Interval	1460'	
Top Log Interval	CASING	
Open Hole Size	12.25"	
Type Fluid	MUD	
Density / Viscosity	NA	
Max. Recorded Temp.	NA	
Estimated Cement Top	NA	
Time Well Ready	ON ARRIVAL	
Time Logger on Bottom	2:00	
Equipment Number	102	
Location	FT MYERS	
Recorded By	FULLER	TELLEZ
Witnessed By	M BLACK	


Borehole Record		Borehole Record	
Run Number	Bit From	To	Run No.
ONE	12.25" SURFACE	250'	FIVE
TWO	64" SURFACE	224'	
THREE	14.75" CASING	775'	
FOUR	52" CASING	715'	

Borehole Record		Borehole Record	
Casing Record	Size	Wgt/Ft	Bottom
Surface String	54"	375' W.T.	220'
Prod. String	44"	375' W.T.	710'
Production String			
Liner			


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments




DUAL INDUCTION  
 X-Y CALIPER  
 BOREHOLE SONIC




700  
750  
800  
850  
900




1513  
1633  
1743  
1773  
1802  
1907  
1854  
1929  
1777  
1850  
1817  
1754



950  
1000  
1050  
1100  
1150






1200



1250

1300

1350

1400





**FRT Calibration Report**

Serial Number:		31	
Tool Model:		SONDEX	
Performed:		Wed Jul 12 08:38:31 2006	
Point #	Reading		Reference
1	30.817	cps	1000.000
2	171.328	cps	10000.000
3	448.517	cps	25000.000
4	965.867	cps	50000.000
5		cps	
6		cps	

**Temperature Calibration Report**

Serial Number:		31	
Tool Model:		SONDEX	
Performed:		Tue Feb 27 11:21:18 2007	
Point #	Reading		Reference
1	128.595	cps	41 degF
2	265.492	cps	70 degF
3	697.392	cps	156 degF