





80 TEMPERATURE (degF) 100

80 Temperature (degF) 100


-5 DTMP (degF) 5



0  
50  
100  
150  
200



75.8  
79.0  
80.7  
81.5  
81.8  
81.8  
82.0  
82.0  
82.2



250

82.3

300

82.3

82.3

350

82.4

82.6


400


82.7

450

82.8

82.8





500

83.0

550

83.1

600

83.1

650

83.1

700


83.2


83.3

750

83.4

83.4






800

850

900

950

1000



83.5

83.6

83.6


83.8

83.9

84.1

84.2

84.4



1050

1100

1150

1200

1250

84.5

84.7

84.8

85.0


85.0


85.1

85.2

85.2

85.2






1300

1350

1400

1450

1500



85.2

85.3

85.4


85.5

85.7

85.8

85.9

86.1




1550

1600

1650

1700

1750



86.4

86.3

86.5

86.6


86.7

86.7

86.8

86.8






1800


1850

1900

1950

2000





2050

2100

2150

2200

2250

87.1

87.1

87.1


87.2


87.3

87.3

87.3

87.3






2300


2350

2400

2450

2500





2550  
↑  
Casing Bottom


2550

2600

2650

2700

2750



86.8

86.6

86.8


87.4

92.9


93.0

93.0

93.2



2800



80 TEMPERATURE (degF) 100

80 Temperature (degF) 100

-5 DTMP (degF) 5

Temperature Calibration Report

Serial Number: 954  
 Tool Model: RTS  
 Performed: Tue Jun 06 16:26:48 2006

Point #	Reading		Reference	
1	342.2	cps	34	degF
2	865.2	cps	86	degF
3	1553.28	cps	152	degF

TEMP-RTS (954)  
 70.00 lb 1.69 in OD 25.50 ft

TEMP 0.10 ft

Dataset:	FIELD/WELL/RUN1/TEMP
Total Length:	25.50 ft
Total Weight:	70.00 lb
O.D.	1.69 in