

**TEMPERATURE
LOG**

Company	WATER RESOURCES	Company	WATER RESOURCE SOLUTIONS
Well	IW #1 (LM-8099)	Well	IW #1 (LM-8099)
Field	LCU - PINEWOODS	Field	LCU - PINEWOODS
County	LEE	County	LEE
State	FLORIDA	State	FLORIDA
Location		Location	NE NE S25 T46S R25E
Permanent Datum		Elevation	
Log Measured From	PAD	Other Services	SEE COMMENTS
Drilling Measured From	PAD	Elevation	K.B. D.F. 22.75' est G.L. 19'

Date	SEPT. 30, 2004	
Run Number	SIX	
Depth Driller	3050'	
Depth Logger	3050'	
Bottom Logged Interval	3050'	
Top Log Interval	CASING	
Open Hole Size	12.25"	
Type Fluid	WATER	
Density / Viscosity	NA	
Max. Recorded Temp.	106 F	
Estimated Cement Top	NA	
Time Well Ready	1430	
Time Logger on Bottom	1500	
Equipment Number	103	
Location	FT. MYERS	
Recorded By	CATHY	
Witnessed By	T. TUBBERT	

Run Number	Bit	Borehole Record		Size	Tubing Record		To
		From	To		From	To	
ONE	12.25"	CASING	675'	FIVE	12.25"	CASING	3050'
TWO	38.5"	CASING	681'				
THREE	12.25"	CASING	1530'				
FOUR	28.5"	CASING	1425'				
Casing Record		Size	Wgt/Ft		Top	Bottom	
Surface String		40"	.375 W.T.		SURFACE	58'	
Prod. String		30"	.375 W.T.		SURFACE	675'	
Production String		24"	.375 W.T.		SURFACE	1420'	
Liner							


<< Fold Here >>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

OTHER SERVICES:
X-Y CALIPER - GAMMA RAY
DUAL INDUCTION
BOREHOLE COMPENSATED SONIC
FLOWMETER
VIDEO

TEMPERATURE






1650

1700

1750

1800

1850



100.5

100.5

100.8

100.9

100.9

101.0

101.1


101.2

101.3

101.4

101.5

101.7



101.8

101.9

1900

102.0

102.1

102.2

1950

102.3

102.4

2000

102.5

102.6

102.8


2050

102.8

102.9

2100

102.9




2150

2200

2250

2300

2350



103.0

103.1

103.2

103.5

103.6

103.7

103.7


103.8

103.9

105.5

105.6

105.5




2400


2450

2500

2550

2600






2650

2700

2750

2800

2850



105.6

105.6

105.6

105.6

105.6

105.6

105.6


105.7

105.6

105.6

105.6

105.6



Temperature Calibration Report

Serial Number: 17
 Tool Model: MLS
 Performed: Thu Apr 22 12:56:07 2004

Point #	Reading		Reference	
1	320.1	cps	32	degF
2	700.1	cps	70	degF
3	2000.1	cps	200	degF

TEMP 0.25 ft



TEMP-MLS (17)
30.00 lb 1.62 in OD 2.45 ft

Dataset: run6/pass1
Total Length: 2.45 ft
Total Weight: 30.00 lb
O.D. 1.62 in