


50

100

150

200

250



72.8

75.6

77.1

77.6

77.7

77.7

77.9


78.0

78.1

78.2

78.4

78.5



300

350

400

450

500

78.6

78.8

79.0

79.2

79.4

79.5

79.7

79.8


80.0


80.1

80.3

80.5

80.7






550

600

650

700

750



80.8

80.9

80.9

81.0

81.1

81.2

81.3


81.3

81.5

81.5

81.6

81.7




800

850

900

950

1000



81.8

81.8

81.9

82.0

82.1

82.2

82.3

82.4


82.5

82.5

82.6

82.7

82.8




1050

1100

1150

1200

1250



82.9

83.0

83.2

83.3

83.4

83.4

83.3


83.2

83.1

83.2

83.2

83.3




1300

1350

1400

1450

1500



83.4

83.4

83.6

83.7

83.8

83.9

84.0

84.2


84.3

84.3

84.4

84.5

84.7




1550


1600

1650

1700

1750






1800

1850

1900

1950

2000



86.0

86.0

86.0

86.1

86.1

86.1

86.1


86.1

86.1

86.1

86.2

86.2




2050

2100

2150

2200

2250



86.2

86.1

86.1

86.2

86.1

86.2

86.2

86.2


86.2

86.2

86.2

86.2

86.2



2300

2350

2400

2450

2500

86.2

86.2

86.2

86.2

86.2

86.2

86.2


86.3


86.3

86.3

86.3

86.3





2550

2600

2650

2700

2750

86.3

86.3

86.3

86.3

86.3

86.3

85.9

85.0


84.1

83.2

82.3

81.8

81.5



2800

2850

2900

2950

3000

81.3

81.3

81.4

81.4

81.4

81.2

80.9


80.4

79.9

79.4



79.1

78.7



3050

3100



TEMP-RTS (951) 70.00 lb 1.69 in OD 27.50 ft

TEMP 0.10 ft

Dataset:	run1/pass3.2
Total Length:	27.50 ft
Total Weight:	70.00 lb
O.D.	1.69 in