



YOUNGQUIST BROTHERS, Inc
GEOPHYSICAL LOGGING DIVISION

HIGH RESOLUTION TEMPERATURE LOG

Company	CHARLOTTE COUNTY UTILITIES		
Well	IW-1		
Field	BURNT STORE WTP		
County	CHARLOTTE		
State	FLORIDA		
Company	CHARLOTTE COUNTY UTILITIES	Location:	API #:
Well	IW-1	Permanent Datum	SEC TWP RGE
Field	BURNT STORE WTP	Log Measured From	PAD PAD
County	CHARLOTTE	Drilling Measured From	Elevation
State	FLORIDA		K.B. D.F. G.L.

Date	23-JUNE-2010		
Run Number	2010 MIT		
Depth Driller	3268'		
Depth Logger	2670'		
Bottom Logged Interval	2670'		
Top Log Interval	SURFACE		
Open Hole Size	12.25"		
Type Fluid	WATER		
Density / Viscosity	NA		
Max. Recorded Temp	98 F		
Estimated Cement Top	NA		
Time Well Ready	1000		
Time Logger on Bottom	1000		
Equipment Number	103		
Location	FT. MYERS		
Recorded By	CATHY		
Witnessed By	D ACQUAVIVA		
Run Number	Bit	From	To
Borehole Record		Borehole Record	
Run No	Bit	From	To
Casing Record	Size	Wgt/Ft	Top
Surface String	7.625"	FRP	SURFACE
Prot String	4.5" FRP	FRP	2526'
Production String			2494'
Liner			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

(This area is currently blank for comments.)




TEMPERATURE

Database File: bstor1mit10.db
 Dataset Pathname: TEMP
 Presentation Format: temp
 Dataset Creation: Tue Jun 22 12:02:35 2010 by Log Open-Cased 090629
 Charted by: Depth in Feet scaled 1:600


EMPERATUR

(degF)




0
50
100
150
200
250
300
350
400
450
500
550

86.4
85.4
85.4
85.3
85.3
85.2
85.2
85.2
85.2
85.3
85.3
85.3
85.5
85.5
85.4
85.6
85.6
85.6
85.7
85.7
85.7
85.9
85.9
85.9
85.9
86.0
86.0
86.1
86.1
86.2



600
650
700
750
800
850
900
950
1000
1050
1100
1150
1200

86.2
86.2
86.4
86.4
86.4
86.4
86.5
86.5
86.6
86.6
86.7
86.7
86.7
86.8
87.0
87.0
87.1
87.1
87.2
87.3
87.4
87.4
87.5
87.6
87.7
87.8
87.8
87.9
88.0
88.0
88.1








1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800

88.2
88.2
88.3
88.4
88.4
88.6
88.7
88.9
89.1
89.3
89.4
89.5
89.6
89.6
89.5
89.5
89.6
89.6
89.3
89.5
89.5
89.5
89.6
89.6
89.7
89.7
89.7
89.7
89.8
89.9







Calibration Report

Database File: bstor1mit10 db
 Dataset Pathname: TEMP
 Dataset Creation: Tue Jun 22 12:02:35 2010 by Log Open-Cased 090629

Temperature Calibration Report

Serial Number: 954
 Tool Model: RTS
 Performed: Tue Feb 27 11:24:16 2007

Point #	Reading		Reference	
1	338.01	cps	34.00	degF
2	789.32	cps	78.00	degF
3	1553.26	cps	152.00	degF
4		cps		degF
5		cps		degF
6		cps		degF
7		cps		degF
8		cps		degF
9		cps		degF
10		cps		degF

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)

TEMP-RTS (954)

25.50

1.69

70.00

TEMP

0.10

Dataset: bstor1mit10.db: field/well/run1/TEMP
Total Length: 25.50 ft
Total Weight: 70.00 lb
O.D.: 1.69 in