



# FLORIDA

GEOPHYSICAL LOGGING, INC.

FLUID  
RESISTIVITY/  
TEMPERATURE  
LOG

COMPANY **MISSIMER INTERNATIONAL**

WELL **NCRWTP IM #2**

FIELD **NORTH COLLIER**

COUNTY **COLLIER**

STATE **FLORIDA**

LOCATION

OTHER SERVICES:  
XYCALGR  
DIL  
FLOWMETER  
SONIC

FILE NO.

SEC. \_\_\_\_\_ TWP \_\_\_\_\_ RGE \_\_\_\_\_

PERMANENT DATUM **PAD LEVEL (P.L.)** ELEV. \_\_\_\_\_

LOG MEASURED FROM **P.L.** FT. ABOVE PERMANENT DATUM

DRILLING MEASURED FROM **P.L.**

ELEV.: K.B. \_\_\_\_\_

D.F. \_\_\_\_\_

G.L. \_\_\_\_\_

DATE **10-FEBRUARY-1996**

RUN NO. **TEN**

TYPE LOG **FRT**

DEPTH-DRILLER **3210'**

DEPTH-LOGGER **3210'**

LOGGED INTERVAL **2897' TO 2480'**

OPERATING RIG TIME **1 HOUR**

TYPE FLUID IN HOLE **WATER**

SALINITY, PPM CL **NA**

DENSITY-VISCOSITY **NA**

LEVEL **FULL**

MAX. REC. TEMP, DEG F. **89 DEGF**

EQUIPMENT-LOCATION **101 - FTM**

RECORDED BY **WILLIAMS/JONES/**

WITNESSED BY **E. SHAWKEY/B. MALIVA**

GRISSOM

/

**BOREHOLE RECORD**

**CASING RECORD**

RUN NO.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
TEN	13 1/2"	3210'	2500'	52"	.5" MT.	30'	SURFACE
	28 1/2"	2500	1310'	38"	.5" MT.	435'	SURFACE
				30"	.5" MT.	1310'	SURFACE

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFULL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES, OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS SET OUT IN OUR CURRENT PRICE SCHEDULE.

### REMARKS

FLUID RESISTIVITY/TEMPERATURE TOOL STRING CONFIGURATION

-- CENTRALIZER -- 2 FT. LONG

-- TOTAL TOOL STRING LENGTH = 12.5 FT.--

-- 1 11/16" WEIGHT -- 5 FT. LONG

-- CENTRALIZER -- 2 FT. LONG

-- FLUID RESISTIVITY/TEMPERATURE  
3.5 FT. LONG





← DELTA TEMPERATURE

2700

2800

