



YOUNGQUIST BROTHERS, Inc
GEOPHYSICAL LOGGING DIVISION

FLUID CONDUCTIVITY TEMPERATURE LOGGING
SOUTH LOGGING
2009 JUN 31 P. 11: 14

Company CITY OF MARCO ISLAND
Well IW-2
Field MARCO ISLAND FIELD
County COLLIER
State FL

Company CITY OF MARCO ISLAND
Well IW-2
Field MARCO ISLAND FIELD
County COLLIER
State FL

Location
Permanent Datum
Log Measured From
Drilling Measured From
Elevation
Other Services
SEE COMMENTS
Elevation
K.B.
D.F.
G.L.


Date	11-SEPT-2008		
Run Number	Bit	From	To
Depth Driller	58.5"	CASING	403'
Depth Logger	12.25"	CASING	910'
Bottom Logged Interval	46.5"	CASING	903'
Top Log Interval	12.25"	CASING	2600'
Open Hole Size	12.25"		
Type Fluid	WATER		
Density / Viscosity	NA		
Max. Recorded Temp.	NA		
Estimated Cement Top	NA		
Time Well Ready	1000		
Time Logger on Bottom	1030		
Equipment Number	103		
Location	FT. MYERS FULLER SANDERS		
Recorded By	QUINN, E		
Witnessed By			
Borehole Record		Borehole Record	
Run Number	Bit	From	To
ONE	58.5"	CASING	403'
TWO	12.25"	CASING	910'
THREE	46.5"	CASING	903'
FOUR	12.25"	CASING	2600'
Casing Record	Size	Wgt/Ft	Bottom
Surface String	48"	3.75 W.T.	399'
Prod. String	36"	3.75 W.T.	900'
Production String			
Liner			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

OTHER SERVICES:
X-Y CALIPER GAMMA RAY
BOREHOLE COMPENSATED SONIC
DUAL INDUCTION
FLOW
VIDEO






MERGED FCT

Database File: marcois.db
Dataset Pathname: run6/pass12
Presentation Format: frt_mg
Dataset Creation: Thu Sep 11 19:11:07 2008 by Log 6.2_B4
Charted by: Depth in Feet scaled 1:240


80 DYNAMIC TEMP (degF) 100
 80 STATIC TEMP (degF) 100


20 DYNAMIC FLUID CONDUCTIVITY (uS) 200000
 20 STATIC FLUID CONDUCTIVITY (uS) 200000







2700
2750
2800
2850
2900







Tool Model:
Performed:

SONDEX
Mon Jun 09 10:53:41 2008

Point #	Reading		Reference
1	31.165	cps	1000.000
2	167.193	cps	10000.000
3	415.824	cps	25000.000
4	918.476	cps	50000.000
5		cps	
6		cps	

Temperature Calibration Report

Serial Number:
Tool Model:
Performed:

31
SONDEX
Mon Jun 09 10:53:33 2008

Point #	Reading		Reference	
1	152.99	cps	39	degF
2	330.989	cps	82	degF
3	688.237	cps	157	degF