

**STATE OF MARYLAND
DEPARTMENT OF GEOLOGY, MINES AND WATER RESOURCES**

The Johns Hopkins University
BALTIMORE 18, MARYLAND

Bellway #2 Well,
Carroll County, Md.

WELL COMPLETION REPORT

This report must be submitted within 90 days after completion of the well

WELL DESCRIPTION					Permit Number..... 8390	
WELL LOG		CASING AND SCREEN RECORD			Name of Owner	
State the kind of formations penetrated, their depth, their thickness, and if water-bearing		State the kind and size of casing, liner, shoe, screen, and other accessories (if no casing used, give diameter of well)			Snee & Eberly	
	FEET			FEET		PUMPING TEST
	from.....to.....	to.....		DIAM. (inches)	from.....to.....	Hours Pumped.....
Space	0	7	13 3/8 OD to 24'			Pumping Rate Gallons per Minute.....
Top Soil	7	12	10 3/4 OD to 283'			WATER LEVEL
Lime	12	110	7 OD to 4038'			Distance from land surface to water:
Slate	110	130	2 3/8 OD Tubing to be run later			Before Pumping.....Ft.
Lime	130	283				When Pumping.....Ft.
Slate & Shells	283	425				APPEARANCE OF WATER
Sand	425	550	Water:			Clear.....
Lime	550	1330	Hole full at 45'			Cloudy.....
Sand	1330	1383				Taste.....
Lime Gritty	1383	2010				Odor.....
Lime (Turn Brown)	2010	2040				Height of Casing Above Land SurfaceFt.
Lime (Gray)	2040	2703	Gas:			PUMP
Slate & Shells	2703	2850	Show of gas at 4242' to 4246'			Type.....
Lime turned brown at	2850	2900	Shot from 4106' - 4066' - 80 qts.			Capacity
Lime	2900	3215	Volume after shot - 30 MCF per day			Gallons per Minute.....
Turn Brown at	3215	3370				Gallons per Hour.....
Black Shale	3370	3515				Pump Column Length.....Ft.
Tully Lime	3515	3545				REMARKS
Slate and Shells (Dark)	3545	3950				Well Was Completed
Lime	3950	3967				Date..... 12/31/51
Marcellus	3967	4020				Well Driller..... A. L. Hill
Brown Break	4020	4023				Signature
Onondago Lime	4023	4052				
Chert	4052	4145				
Slate	4145	4168				
Lime (Hard)	4168	4174				
Oriskany Sand	4174	4295				
Lime	4295	4395	T.D.			