

P.# 9186 (1055)

Thickness of Strata	Kind of Rock	Total Depth		Remarks
	Clay	00	15	
	shale	15	25	55 Hole full fresh
	Lime	25	40	Dry at 158
	shale	40	60	
	Lime	60	100	240 Hole full
	shale	100	125	
	Lime	125	200	
	shale	200	240	
	Lime	240	280	
	shale	280	340	
	Lime	340	360	
	shale	360	380	
	Lime	380	440	
	Brown shale	440	460	450
	Lime	460	570	
	shale	570	575	Got water shut off Jan 21
	Lime	575	670	Hole dry 550
	shale	670	750	
	Lime	750	850	
	shale	850	940	
	Lime	940	1020	
	shale	1020	1100	

20f5

Thickness of Strata	Kind of Rock	Total Depth		Remarks
	Lime	1100	1150	
	slate	1150	1175	Hole still dry 1170
	Lime	1175	1230	
	slate	1230	1260	Started up $1\frac{1}{2}$ barrels of water ^{at 1240}
	Lime	1260	1310	
	slate	1310	1400	
	Lime	1400	1550	
	slate black	1550	1600	
	Lime	1600	1650	
	slate	1650	1750	Hole dry 1700
	Lime	1750	1900	
	slate	1900	2025	
	Lime	2025	2150	
	slate	2150	2250	
	Lime	2250	2340	
	slate shells	2340	2450	
	slate	2450	2685	
	Black shale	2685	2698	
	Brown shale	2698	2701	Shot chert May 1 - 120 quarts
	Lime black	2701	2706	Thick 110 M did not help
	Lime + slate dark	2706	3078	
	Lime dark	3078	3095	

4 of 5

Thickness of Strata	Kind of Rock		Total Depth	Remarks
	10 inch	8 inch	8 inch	
	23 1	22 11	22 9	
	22 4	23 7	22 2	
	21 6	22 10		
	22 2	21 9		
	20 10	21 3		
	21 1	22 6		
	21	22 4		
	21 1	22 5		
	22 3	22 8		
	22 1	22 5		
	217.5	22 10		
		30 8		
		21 5	585.146	
		34 3	597.2	
154' in hole	23		540' - 8" in hole	
	21 9			
	22 7			
	22 1			
	21 1			
	22 7			
	21 3			
	19 2			
	21 9			
	23 2			

5 of 5

No. Right Right = 2 ft. Dipole

Thickness of Strata	Kind of Rock	Total Depth	Remarks
	7" casing		
21 07	1 04	18 02 28 18	22 01 21 03 20 06 25 08 30 09
21 05	24 01	18 08 23 08	28 00 22 01 18 09 22 02 29 18
21 09	23 01	17 09 31 01	25 00 21 08 ^{530 99} 32 07 22 00
21 07	25 08	22 03 31 00	24 01 496 0 539.9 ^{558 2} 569 2 681 4
21 04	25 04	23 04 31 05	31 01
20 05	26 04	24 00 32 00	23 09
22 01	25 09	24 02 30 07	25 04 7"
20 09	24 03	25 06 23 02	26 05 486 122
21 05	29 02	27 07 31 09	26 03 530 99 557 112
	17 08	26 08 30 05	26 06 670 114 445 70
21 09	22 05	26 02 31 06	33 07 2688 517 431
21 09	22 03	26 01 30 06	30 04 2731' - 1" - 7" casing
21 07	24 10	22 04 26 09	25 05
21 07	22 03	23 07 26 02	28 18
22 00	26 00	26 07 22 01	31 03
21 06	25 09	22 02 22 04	17 06
21 08	25 10	23 02 26 06	25 09
21 07	25 10	23 01 31 00	428
21 05	24 09	20 08 30 09	64
22 00	27 04	22 08 22 06	43 44
22 00	31 07	21 04 23 03	176
			451.10