

10'

303


304

305

2 560 000 FEET

11 07' 30"

35° 07' 30"



3888

500 000  
FEET

NEW BERN (P.O.) 5.1 MI.  
BRIDGETON 6.9 MI.


3885

5'

3884

3883

POULACKVILLE 7.5



FIND NCGS CODE

FIND COUNTY ..

PRINT RECORD

SORT

FIND ALL

April 28, 1999  
4:07 PM  
RECORD # 1

NCGS CODE: CN-C-6-90

OTHER CODE: CSC - F

PP796:

COUNTY: CRAVEN

WELL NAME:

OPERATOR: CRUSHED STONE CONSULTANTS

DEPTH: 125

WELL DATUM: 30

LATITUDE: 350616

LONGITUDE: 770812

GW GRID:

DRILLED BY: LONGYEAR DRILLING CO.

DATE DRILLED: 05/09/90

LOGGED BY: N/A

DATE LOGGED:

LOGS: NO

SAMPLES:  SLIDES:  LITH LOG:  CTGS:  CORE:  SWC:  TOPS:

CTGS INTERVAL(S):

CORE INTERVAL(S): 35-125 (10 BOXES)

SWC INTERVAL(S):

BASEMENT:  BSMT DEPTH: BSMT ALT: Decidegrees - Long. 77.13667

BSMT LITH:  Decidegrees - Lat. 35.10444

LAST CHANGE: 4/15/99 TIME : 1:15 PM MODIFIER: John

TOTAL CTGS (FT): TOTAL CORE (FT): 90

Type:

Crushed Stone Consultants Craven County Core			
Core	Box No.	Interval	Comments
	8	96.5 - 104	
	9	104 - 113	
	10	<del>113</del> 113 - 120	
F	1	35 - 42	CN-C-6-90
	2	47 - 58.9	
	3	61.9 - 63.6	
	4	63.6 - 72.9	
	5	74.4 - 80.7	
	6	83.4 - 90.4	
	7	91.6 - 100	
	8	103 - 109.7	
	9	110 - 117.8	
	10	117.8 - 125	
G	1	40.7 - 50	CN-C-7-90
	2	<del>47.8 - 50</del> 50 - 57.8	
	3	59 - 68'	
	4	69.8 - 79.7	
	5	80 - 88.8	
	6	88.8 - 97.6	
	7	97.6 - 106.6	
	8	107.7 - 116.2	
	9	116.6 - 125.5	
	10	126.3 - 130	
H	1	35' - 45'	CN-C-8-90
	2	44.8' - 53.2'	
	3	53.2' - 63.3'	
	4	63.9' - 75'	
	5	75.4' - 91.25'	
	6	91.5' - 101'	
	7	101' - 110.8'	
	8	110.8' - 120'	
I	1	33' - 42.6'	CN-C-9-90
	2	42.6' - 52'	
	3	52' - 60.55'	
	4	60.55' - 64.5'	
	5	64.5' - 78.9'	
	6	79.7' - 93.1'	
	7	93.1' - 102.65'	
	8	102.9' - 111.2'	
	9	111.7' - 120.4'	
	10	120.6' - 129.8'	