


2/9

Freeman samples - core NT

D2 - 207 - 208 }  
228 - 229 } baked  
arkose

D5 228 - 230 }  
236 - 237 } white  
233.5 - 234 - } tubes?



FIND NCGS CODE

FIND COUNTY..

PRINT RECORD

SORT

FIND ALL

April 28, 1999  
4:10 PM  
RECORD # 1

NCGS CODE: CN-C-9-90

OTHER CODE: CSC - I

PP796:

COUNTY: CRAVEN

WELL NAME:

OPERATOR: CRUSHED STONE CONSULTANTS

DEPTH: 129.8

WELL DATUM: 28

LATITUDE: 350635

LONGITUDE: 770857

GW GRID:

DRILLED BY: LONGYEAR DRILLING CO.

DATE DRILLED: 05/16/90

LOGGED BY: N/A

DATE LOGGED:

LOGS: NO

SAMPLES:  SLIDES:  LITH LOG:  CTGS:  CORE:  SWC:  TOPS:

CTGS INTERVAL(S):

CORE INTERVAL(S): 33-129.8 (10 BOXES)

SWC INTERVAL(S):

BASEMENT:  BSMT DEPTH: BSMT ALT: Decidegrees - Long. 77.14917

BSMT LITH:  Decidegrees - Lat. 35.10972

LAST CHANGE: 4/15/99 TIME : 1:15 PM MODIFIER: John

TOTAL CTGS (FT): TOTAL CORE (FT): 96.8

Type:

Crushed Stone Consultants Craven County Core			
Core	Box No.	Interval	Comments
	8	96.5 - 104	
	9	104 - 113	
	10	<del>113</del> - 120	
F	1	35 - 42	CN-C-6-90
	2	47 - 58.9	
	3	61.9 - 63.6	
	4	63.6 - 72.9	
	5	74.4 - 80.7	
	6	83.4 - 90.4	
	7	91.6 - 100	
	8	103 - 109.7	
	9	110 - 117.8	
	10	117.8 - 125	
G	1	40.7 - 50	CN-C-7-90
	2	<del>47.8 - 50</del> 50 - 57.8	
	3	59 - 68'	
	4	69.8 - 79.7	
	5	80 - 88.8	
	6	88.8 - 97.6	
	7	97.6 - 106.6	
	8	107.7 - 116.2	
	9	116.6 - 125.5	
	10	126.3 - 130	
H	1	35' - 45'	CN-C-8-90
	2	44.8' - 53.2'	
	3	53.2' - 63.3'	
	4	63.9' - 75'	
	5	75.4' - 91.25'	
	6	91.25' - 101'	
	7	101' - 110.8'	
	8	110.8' - 120'	
I	1	33' - 42.6'	CN-C-9-90
	2	42.6' - 52'	
	3	52' - 60.55'	
	4	60.55' - 64.5'	
	5	64.5' - 78.9'	
	6	79.7' - 93.1'	
	7	93.1' - 102.65'	
	8	102.9' - 111.2'	
	9	111.7' - 120.4'	
	10	120.6' - 129.8'	

10'

303


304

305

2 560 000 FEET

11 07'30"

35°07'30"



3888

500 000 FEET

NEW BERN (P.O.) 5.1 MI.  
BRIDGETON 6.9 MI.

3885

5' 3884

3883

POLOCKVILLE 7.5'