



CITIES SERVICE OIL COMPANY

449

Cities Service Building
Box 300
Tulsa, Oklahoma 74102
July 27, 1973

DR-OT-3-73

Mr. Stephen G. Conrad
Director, Office of Earth Resources
N. C. Dept. of Natural and Economic Resources
Raleigh, North Carolina 27611

Re: Acreage Contribution Contracts
with Albert W. Gentles, Dare
County, North Carolina

Dear Steve:

The **Gentles #1 Westvaco Well** in Dare County, North Carolina, was spudded May 15, 1973, and drilled to a total depth of 5,120 feet and was temporarily abandoned July 5, 1973. It is my understanding that you have been furnished with samples and other geological information in connection with this well, however, if there should be anything further that you need, please let us know.

The Gentles #2 Westvaco Well in Dare County, North Carolina, is located approximately 100 feet East of the #1 well. This well was spudded July 19, 1973, and is presently drilling at approximately 1,982 feet.

Very truly yours,

Mark F. Payton
Land Manager

MFP:BNC:sr

State of North Carolina
Department of Natural and Economic Resources
Office of Earth Resources

DR-OT-3-73

Petroleum Division

DRILLING PERMIT

Permit No. 73-55-11

Date May 16, 1973

Permission is hereby granted to: Albert W. Gentles,

P.O. Box 443, Mt. Vernon, Illinois

to perform the operations indicated below at the following well site:

Well No. Westvaco No. 1 Lease Name. Westvaco

County Dare

<u>6800</u> ft.	West East	<u>75</u> degrees	<u>45</u> minutes longitude
<u>1400</u> ft.	North South	<u>35</u> degrees	<u>45</u> minutes latitude

Oil and/or Gas Well Other (explain) _____

With:

Type Drilling Tools Rotary

Contractor Gentles Drilling Company

Total Depth of 6,000 ft.

Proposed Geologic Objective Granite, - basement

Approved surface casing program:

Size 8 5/8" Feet to be used 500
Cement must be circulated from total depth of surface pipe to surface.

Permit Fee of \$50.00 and plugging bond in the amount of \$5,000.00 have been submitted to the Division receipt of which is hereby acknowledged.

Prior to testing or plugging operator shall notify the Division by letter, or phone, at least 24 hours in advance of operations so that the Division may have an inspector on hand for these procedures.

A Plugging fee of \$15.00 is required prior to plugging any test for oil and/or gas.

STATE OF NORTH CAROLINA
 DEPARTMENT OF CONSERVATION AND DEVELOPMENT
 DIVISION OF MINERAL RESOURCES
 ADMINISTRATION BUILDING - BOX 2719
 RALEIGH, NORTH CAROLINA 27602

DR-OT-3-73

SUBMIT IN DUPLICATE

W E L L C O M P L E T I O N O R P L U G G I N G A F F I D A V I T

OPERATOR: Albert Denton

ADDRESS: P O Box 443
WV Vernon 2ll. 62864
 Zip Code

WELL NO: 1 LEASE: WV 2ll.

COUNTY: Dare CIVIL TOWNSHIP: _____

LATITUDE & LONGITUDE: _____

ELEVATION: GL _____ DF _____ KB _____ TOOLS: _____

DATE COMMENCED: _____ DATE COMPLETED: 8.25 TOTAL DEPTH _____

RECORD OF SHOT, ACID OR FRACTURE TREATMENTS, PRODUCTION TESTS, PRESSURES, PLUGGING
 PROCEDURE: Pipe 4933 - 1300 mud to 530 530
to 450 Cement #50-75 mud 75-2 Cement

AMOUNT OF INITIAL PRODUCTION: GAS: _____ OIL: _____ WATER: _____

~~ABANDONED~~ ABANDONED: L WAS WELL DEVIATED: _____

ADDITIONAL DATA: _____

*Note: Attach bottom hole plot, if well was deviated

CASING AND TUBING RECORD:

SIZE	FEET USED IN DRILLING	AMOUNT OF CEMENT OR MUD	FEET LEFT IN WELL	COMMENTS
<u>8 7/8</u>	<u>530</u>	<u>280 sacks</u>	<u>530</u>	
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

NAME OF CONTRACTOR: Danon

TYPES OF ELECTRICAL AND/OR RADIOACTIVITY LOGS RUN: _____

NAME OF LOGGING COMPANY: _____

I (We) certify that the above information is true and correct, to the best of my knowledge and that the rules set forth for plugging and abandonment of wells and core hole tests by the Board of Conservation and Development have been adhered to.

SIGNATURE _____