

Edgar Bazemore No. 1 - Hertford Co. N. C.  
Pam Beau Drilling Co., Gragham, N. C.

(Note samples labeled at given depths not from to.)

Depth

20 Sand and clay, buff, surface material.

40, 60 Sand fine, gray, shell fragments

80 Sand medium, gray, some clay, many shell fragments

100 Sand medium gray, some clay, few shell fragments

240-267 } Sand, medium, brownish, glauconitic  
267-270-280 }

300 Sand, medium, brownish, less glauconite

320,340,360 Sand, fine and medium brownish.

380,400,420 Sand, medium brownish

440 Sand, coarse brownish

460 Sand, medium brownish

500 Sand, medium to coarse brownish

520 Sand, medium to coarse brownish-gray

560,580 Sand, coarse brownish-gray

600 Clay fine brownish gray

620 Clay fine gray, sandy

640,660,680 Clay brownish gray and fine sand, little mica 660

700 Clay brownish gray, sandy

720,740,760 Sand medium, gray brown

800 Sand medium, gray brown flecks of calcite

820 Sand medium to coarse gray, brown

840,860,880 Sand medium brownish-gray pebbles up to 3 mm 860 little clay.

900,920	Sand fine to medium, brownish-gray
940,960	Sand fine to medium to coarse brownish-gray
980,1000	Sand medium to coarse up to 2 mm. little calcite
1010	Clay red soft variegated
1020	Sand medium to coarse (like 1000)
1040,1070	Sand coarse, few shell fragments, brownish
1090	Sand coarse reddish-brown
1115,1145	Sand coarse brown
1175-1,1175-2	Sand coarse to mm brown
1212,1230-1	Sand fine to medium brownish
1230-2	Sand fine to medium brownish
1250	Sand fine to medium brownish, finer.
1270	Sand fine, buff (like surface sand)
1275	Sand fine to medium brownish

TD reported 1278

Gas show reported around 800'

Summary:

0-580	Sand 580'+
600-700	Clay 100'+
720-1000	Sand 300'+
1010	Clay 10'+
1020-1275	Sand 65'+

20-51-100  
37  
PAM-BEAU DRILLING COMPANY, INC.

GRAHAM, NORTH CAROLINA

August 5, 1949

File

Mr. George R. Ross, Director,  
Department Conservation & Development,  
Raleigh, North Carolina.

Dear Mr. Ross:

Your letter of July 28, 1949, is acknowledged.

Drilling is in progress on the site known as  
Basnight No. 1 on Highway #45 in Hertford County, and has been  
since starting except for repairs and breakdowns. The rig is  
on location and we will contact your Department when completed  
so as to close hole, if dry, in compliance with requirements.

Very truly yours,

PAM-BEAU DRILLING COMPANY, INC.

*Clarence Ross*

Clarence Ross

CR:ecg.

October 5, 1949

Mr. A. D. Fonville, Manager  
New Amsterdam Casualty Company  
12 N. 9th Street  
Richmond 19, Va.

Dear Sir:

Your letter of September 29 relative to Bond furnished Pam-Beau Drilling Company has been referred to me for reply.

Under date of July 28, 1949, Mr. George R. Ross, Director of this Department, wrote the Pam-Beau Drilling Company, Inc., Graham, North Carolina, relative to the status of their drilling operation in Hertford County, North Carolina. A copy of the reply to Director Ross's letter is attached.

Yours very truly,

Jasper L. Stuckey  
State Geologist

JLS/lfc

# New Amsterdam Casualty Company

227 ST PAUL STREET  
BALTIMORE, MD.

60 JOHN STREET  
NEW YORK, N. Y.

SURETY — CASUALTY

RICHMOND BRANCH OFFICE  
12 N. 9TH STREET  
TELEPHONE 7-2982

A. D. FONVILLE  
MANAGER

F. G. HALL  
CLAIM MANAGER

RICHMOND 19, VA.

Sept. 29, 1949

Department of Conservation & Development  
State of North Carolina  
Raleigh, North Carolina

Re: Pam-Beau Drilling Company, Inc.,  
Graham, N. C.

Gentlemen:

Under date of October 29th, 1948 this Company executed a License or Permit Bond for drilling oil wells running in your favor.

We are now advised that the Pam-Beau Drilling Company, Inc. is no longer in business and it is our desire to secure termination evidence on the bond filed with your office in order that we cancel our records.

Will you, therefore, please be so kind as to advise us that you are considering the bond terminated on this date or any date which you see fit. We are enclosing bond release in case you desire to use our form.

Yours very truly,

*A. D. Fonville*  
Manager

ADF/elc  
Enc.

# Bond Release

NEW AMSTERDAM CASUALTY COMPANY

227 St. Paul Street,  
Baltimore, Md.

Gentlemen:

Bond numbered \_\_\_\_\_, effective \_\_\_\_\_, covering

\_\_\_\_\_, as Principal, in the amount of \$

in favor of

is not desired on and after \_\_\_\_\_, and the undersigned hereby releases the New Amsterdam Casualty Company, as Surety, from any and all liability for defaults of said Principal occurring thereafter; it being understood that said Surety is to be and remain liable for defaults of said Principal occurring theretofore, subject to the terms, conditions, agreements and limitations of the said Bond.

.....  
Obligee

By.....

Title

August 23, 1950

Mr. James Cowan, Secretary  
Pan-Beau Drilling Company  
Box 106  
Burlington, North Carolina

Dear Mr. Cowan:

Under date of August 22, you sent this office an affidavit signed by Mr. C. W. Hinshaw, President, Pan-Beau Drilling Company certifying that the hole drilled on Highway 45 in Hertford County and known as Basnight No. 1 has been properly filled and sealed. This certificate is accepted as satisfactory.

As requested by Mr. A. D. Forville, Manager, New Amsterdam Casualty Company, 12 N. 9th Street, Richmond, Virginia, sometime ago, I am informing him that bond to cover this drilling is being released.

Very truly yours,

Jasper L. Stuckey  
State Geologist

JLS:ehl