

NC-JON-C-5-79

<u>Depth</u>	<u>Lithology</u>	<u>CORE Recovered</u>
0-4"	Tan sand, glauconitic	↓ 6" ↑
4"-2'	Tan to yellow sand, glauconitic	
2'-5'3"	Yellow to white sand, glauconitic	
5'3"-6'6"	Orange to brown sand, glauconitic	
6'6"-8'6"	White to tan vuggy cast and mold limestone	18"
8'6"-13'6"	Same limestone to 11 feet, sand 11'-13'6"	15"
13'6"-18'6"	Sand except for 2" of limestone in 13'6"-14' interval	30"?
18'6"-23'6"	Sand except for 2" of limestone in 20'-21' interval	30"?
23'6"-26'6"	Sand	30"?
26'6"-28'6"	Gray, vuggy cast and mold limestone, indurated	30"?
28'6"-30'6"	Same as above	30"?
30'6"-33'6"	Gray, vuggy limestone, soft to indurated in streaks	30"?

? - Not recorded on drill log.

Total depth: 33'6"

Total core: 18'2"

% core recovered: 54 %

NC-JON-C-5-79

<u>Depth</u>	<u>Lithology</u>	<u>CORE Recovered</u>
0-4"	Tan sand, glauconitic	↓
4"-2'	Tan to yellow sand, glauconitic	↓
2'-5'3"	Yellow to white sand, glauconitic	6" ↑
5'3"-6'6"	Orange to brown sand, glauconitic	↑
6'6"-8'6"	White to tan vuggy cast and mold limestone	18"
8'6"-13'6"	Same limestone to 11 feet, sand 11'-13'6"	15"
13'6"-18'6"	Sand except for 2" of limestone in 13'6"-14' interval	30"?
18'6"-23'6"	Sand except for 2" of limestone in 20'-21' interval	30"?
23'6"-26'6"	Sand	30"?
26'6"-28'6"	Gray, vuggy cast and mold limestone, indurated	30"?
28'6"-30'6"	Same as above	30"?
30'6"-33'6"	Gray, vuggy limestone, soft to indurated in streaks	30"?

? - Not recorded on drill log.

Total depth: 33'6"

Total core: 18'2"

% core recovered: 54 %

NC-JON-C-3-79 - Jones County 77°10'05", 34°53'23"

Location: Croatan National Forest, 1 mile west of intersection of CR 1105 (Catfish Road) with FSR 172 (Mirey Branch Road), on south side of FSR 172.

Property Owner: U.S. Forest Service

NC-JON-C-4-79 - Jones County 77°08'38", 34°58'10"

Location: Croatan National Forest, about 1 mile north of intersection of Bender Road Extension with General George Road, on General George Road. Need key #2359 to get into gate at intersection (get key from USFS office on U.S. Route 70).

Property Owner: U.S. Forest Service

NC-JON-C-5-~~79~~⁷ - Jones County 77°15'58", 35°02'34"

Location: Prettyman Landing on Trent River. Access farm road located about 0.6 mile west of intersection of CR 1002 and CR 1332, on south side of CR 1002. Access farm road is east of tobacco sheds on A. D. Banks, Sr. place.

Property Owner: Alpheus D. Banks, Sr., and Alpheus D. Banks, Jr.
RD #1, Trenton, N. C.
no phone at either house

NC-ON-C-1-~~79~~⁸⁰ - Onslow County 77°31'03", 34°36'16"

Location: Great Sandy Run Pocosin, 2 miles south of intersection of U.S. Route 17 with CR 1103, on east side of CR 1103. Drill hole on elevated road between Cedar Spur 5 and 6.

Property Owner: International Paper Company
Ranger Station on CR 1103 near U.S. Route 17
Ranger Robert Dennis
Business phone: 455-3666
Home phone: 347-1684

JONES

C-5-79

L. WARD-8/84

0 - 7'6" :

soft sand (Quat.) 0 - 6'6"
Sp. Hard. 6'6" - 7'6"

7'6" 30'8"

Sp. Hard - mold & cast (Macrofauna)

30'8" - 32'8"

no recov, - too sandy, loose

C-5A-79

11' - 15'6"

ox. red sand. (Quat.)

15'6" - approx 27'-28'

calcar. sand. - lower. R. Bend

28'2" - 33'6"

very fine, clear quartz (65-70%)

forams & codes (35-50%)

very fine glau. frag. - trace - 1%

28'2" - 33'6"

Sp. Hard. - mold & cast