

Plotted

WELL NO. 0060

WWCR - ⑦

Interval Sheet

The Fluor Corp. Ltd.  
Drawer "G"  
Stanardsville, Virginia  
Greene County

Sheet No. 1  
0-425

✓ Cuttings

--- Core

✓ Water Well

--- Gas Well

From-To	From-To	From-To	From-To	From-To
0 - 10	40 - 50	80 - 90	-	-
10 - 20	50 - 60	90 - <u>300</u>	-	-
20 - 30	60 - 70	00 - 10	-	-
30 - 40	70 - 80	10 - 20	-	-
40 - 50	80 - 90	20 - 30	-	-
50 - 60	90 - <u>200</u>	30 - 40	-	-
60 - 70	00 - 10	40 - 50	-	-
70 - 80	10 - 20	50 - 60	-	-
80 - 90	20 - 30	60 - 70	-	-
90 - <u>100</u>	30 - 40	70 - 80	-	-
00 - 10	40 - 50	80 - 90	-	-
10 - 20	50 - 60	90 - <u>400</u>	-	-
20 - 30	60 - 70	00 - 10	-	-
30 - 40	70 - 80	10 - <u>425</u>	-	-

Total Depth 425

COMMONWEALTH OF VIRGINIA  
 DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT  
 DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

WNCR-#7  
 VDMR-#60

OWNER: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_

DRILLER: Flour Corp. Ltd. Mailing Address: \_\_\_\_\_

WELL LOCATION: County Greene Approx. \_\_\_\_\_ ft. miles  
 \_\_\_\_\_ (direction) of \_\_\_\_\_ and \_\_\_\_\_ ft. miles of \_\_\_\_\_

(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, rivers, etc. - on county highway or other map.)

**WATER CONDITIONS**

**DEPTH**

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

(from) \_\_\_\_\_ (to) \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_

\_\_\_\_\_ ft. \_\_\_\_\_, \_\_\_\_\_ ft. \_\_\_\_\_

\_\_\_\_\_ ft. \_\_\_\_\_, \_\_\_\_\_ ft. \_\_\_\_\_

**QUANTITY OF WATER**

WELL PUMPED (or bailed) at \_\_\_\_\_ Gal. per Min. with  
 \_\_\_\_\_ feet **DRAWDOWN** after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground) **W**

REMARKS: \_\_\_\_\_

**QUALITY OF WATER**

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE - Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_

\_\_\_\_\_ WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
 (salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

**CONSTRUCTION**

RIG TYPE (or method) \_\_\_\_\_  
 (rotary, cable, bored, driven, etc..)

DATE: Started \_\_\_\_\_; Completed \_\_\_\_\_

TOTAL DEPTH 425 ft.

BEDROCK at \_\_\_\_\_ ft.

**GROUTING INFORMATION**

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

**HOLE SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**CASING SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**SCREEN (or perforations)**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

**PUMP (installed)**

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: Water used at gas pumping station for domestic purposes  
1960 (C.Y.)

Log of well (over)

