36

Interval Sheet

FARM SECURITY ADM. FARMVILLE, MA.

Prince Edward Col

Sheet No. \_/

\_\_\_ Cuttings

---- Core

- Water Well

--- Gas Well

	+01	and in	From-To From-To	
From-To	From-To	From-To	From-To	From-To
0-20	_		= 11	-
20-60	-		-	
60-70	_	-	-	
70-90	-			
90-140	-	-		
40-65	-	600	-	
65-95	<del>-</del> -	-	-	
95 260	-		-	
60-300	_		- 1	-
00-30	-	-		
30-50			-	-
50-360	-	-	-	-
-	-		-	
9 -	-	-	p*	<u>-</u>

Total Depth \_\_\_\_\_

COMMONWEALTH OF VIRGINIA WWCR - 36 DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMEN VDMR - 84

## DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL (	COMPLETION REPORT	HITTED
OWNER: Farm Sec. Adm. Well #4	Mailing Address. (18 (1913)	от Мояя
TENANT:	Mailing Address	
	Mailing Address:	
WELL LOCATION: County Prince Edward	Approx	ft. miles
(direction) of	ft milesof	
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns,	rivers, etc.— on county highway or other map.)	
WATER CONDITIONS	N	
DEPTH		
STATIC WATER LEVEL		
WATER ZONES (fissures or formations supplying water)		
(from) (to) (from) (to)		
ft	<del>-</del>	
QUANTITY OF WATER		
WELL PUMPED (or bailed) atGal. per Min. wit		
feet <u>DRAWDOWN</u> afterHOURS PUMPING		
FLOW (natural)G.P.M. HEADft. (above gro	ound) W	
REMARKS:		
QUALITY OF WATER		
COLOR TASTE		
ODOROTHER		
ANALYSIS: AVAILABLE- Yes D NoD: ATTACHED YES D NOD		
	그리는 그를 내고 하는 사람들이 없어요?	
WATER (from) ft (to)	ft	
TEMPERATURE (from) ftft.		
USE OF WATER: Domestic   Town   Industry   Farm   Publ	lic 🛮 S	
CONSTRUCTION	HOLE SIZE CASI	NG SIZE
RIG TYPE (or method)	(diam) (from) (to) (diam)	(from) (to)
RIG TYPE (or method) (rotary, cable, bored, driven, etc)		ftf
DATE: Started; Completed		
TOTAL DEPTH 360ft.	SCREEN (or perforation	s)
BEDROCK atft.	(diam.) (from) (to) (op-	ening size)
GROUTING INFORMATION	PUMP (installed)	
METHOD USED		
GROUTING MATERIAL	TYPE	
DEPTH OF GROUTING	H.P Depth of intake	ft.
	Depth of make	
REMARKS:		
		2 V
	Log of well	(over)

FURNISHED BY\_

DEPTH (feet)			TYPE OF SOIL OR ROCK PENETRATED		REMARKS	
FROM	TO	• Company of the Comp			(water, caving, shot, screen, sample, etc.)	
			Inling Abrees	v	ENANT	
					MILES:	
	pillo				VELL HORATION COMPLETED SERVE	
		10			Au (disposal)	
				2110 1700 CONT.	a construction of the contract	
					WATER CONDITIONS	
					ОЕРТИ	
					TATIO WATER LEVEL	
					ATER ZONES (besures or formations sap)	
					(trum) (ta) (frum)	
					QUANTITY OF WATER	
				this plin age	VELL PUMPED (or boiled) of Gol	
					DOH:	
					LOW (noture) US RM HEAD	
	4				EMARKS.	
K 15-19						
					QUALITY OF WATER	
					OLOR TASTE	
				CLAN D	ANALYSIS AVAILABLE - YEARD WATE, AT FAUHED YEAR	
					TEMPERATURE	
					WAS TAW	
					SE OF WATER Despets of Town G (4800)	
	HZIS DN	eao.			ионтантакоа	
1611	(month)	(Anota)			(C TYPE (or method)	
					miss, colin, polying miss, colin, polyin, origin, baran.	
	lad	Alternation	SOREEN (OF		AFE: Storted	
	(exis gring	9)			FORON OIL	
			The second of th		GROUTING INFORMATION	
		(installed)	*HML(III)		also dollar	
		(mgg) -			ROUTING MATERIAL	
		esiotoi	To dteed 9,1		EPTH OF GROUTING	
					EMARKS!	
	(1000) 1	or to past				
		467 61				