

INTERVAL SHEET

Page 1

VDMR WELL NO.: 0292

Date \_\_\_\_\_

Sample Interval: from 1 to 273

PROP: OTTER CREEK DEV.

Total Depth \_\_\_\_\_

COMP: FALWELL WELL CO.

Oil \_\_\_\_\_ Gas \_\_\_\_\_ Water X Exploratory \_\_\_\_\_

COUNTY: AMHERST

Cuttings \_\_\_\_\_ Core \_\_\_\_\_ Other \_\_\_\_\_

From-To	From-To	From-To	From-To	From-To
1 -	240 -	-	-	-
3 -	250 -	-	-	-
5 1/2 -	260 -	-	-	-
15 -	273 -	-	-	-
25 -	-	-	-	-
30 -	-	-	-	-
35 -	-	-	-	-
43 -	-	-	-	-
50 -	-	-	-	-
60 -	-	-	-	-
65 -	-	-	-	-
69 -	-	-	-	-
70 -	-	-	-	-
80 -	-	-	-	-
85 -	-	-	-	-
90 -	-	-	-	-
98 -	-	-	-	-
110 -	-	-	-	-
120 -	-	-	-	-
130 -	-	-	-	-
140 -	-	-	-	-
150 -	-	-	-	-
160 -	-	-	-	-
170 -	-	-	-	-
180 -	-	-	-	-
190 -	-	-	-	-
200 -	-	-	-	-
210 -	-	-	-	-
220 -	-	-	-	-
230 -	-	-	-	-

COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WWCR 103  
VDMR 292

WATER WELL COMPLETION REPORT

OWNER: Otter Creek Development Mailing Address: \_\_\_\_\_  
 TENANT: \_\_\_\_\_ Mailing Address: \_\_\_\_\_  
 DRILLER: Falwell Well Corp. Mailing Address: Lynchburg  
 WELL LOCATION: County Amherst Approx. 1/2 <sup>5</sup>/<sub>8</sub> miles  
N (direction) of State Rt 130 and 100 <sup>ft</sup>/<sub>miles</sub> xxx E of Blue Ridge Parkway  
(Give direction and distance in feet or tenths of mile from two reference points—roads, towns, rivers, etc.—on county highway or other map.)

**WATER CONDITIONS**

**DEPTH**

STATIC WATER LEVEL \_\_\_\_\_

WATER ZONES (fissures or formations supplying water)

(from) \_\_\_\_\_ (to) \_\_\_\_\_ (from) \_\_\_\_\_ (to) \_\_\_\_\_

ft. \_\_\_\_\_ ft. \_\_\_\_\_  
ft. \_\_\_\_\_ ft. \_\_\_\_\_

**QUANTITY OF WATER**

WELL PUMPED (or bailed) at 50 Gal. per Min. with \_\_\_\_\_ feet DRAWDOWN after \_\_\_\_\_ HOURS PUMPING.

FLOW (natural) \_\_\_\_\_ G.P.M. HEAD \_\_\_\_\_ ft. (above ground) **W**

REMARKS: 65' → 5/m, 79' → 10/m, 85' → 20/m,  
110' → 30/m, 150' → 33/m, 190' → 37/m, 210' → 43/m

**QUALITY OF WATER** 273- 50/m

COLOR \_\_\_\_\_ TASTE \_\_\_\_\_

ODOR \_\_\_\_\_ OTHER \_\_\_\_\_

ANALYSIS: AVAILABLE— Yes  No  ATTACHED Yes  No

TEMPERATURE \_\_\_\_\_  
 \_\_\_\_\_ WATER (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.  
(salt, brackish, iron, sulfur, acid, other)

USE OF WATER: Domestic  Town  Industry  Farm  Public

**CONSTRUCTION**

RIG TYPE (or method) \_\_\_\_\_  
(rotary, cable, bored, driven, etc..)

DATE: Started 3/2/59; Completed 3/20/59

TOTAL DEPTH 273 ft.

BEDROCK at 15 ft.

**GROUTING INFORMATION**

METHOD USED \_\_\_\_\_

GROUTING MATERIAL \_\_\_\_\_

DEPTH OF GROUTING \_\_\_\_\_

**HOLE SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**CASING SIZE**

(diam) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft.

**SCREEN (or perforations)**

(diam.) \_\_\_\_\_ in. (from) \_\_\_\_\_ ft. (to) \_\_\_\_\_ ft. (opening size)

**PUMP (installed)**

TYPE \_\_\_\_\_ Cap. (gpm) \_\_\_\_\_

H.P. \_\_\_\_\_ Depth of intake \_\_\_\_\_ ft.

REMARKS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

LOG

Driller

FURNISHED BY \_\_\_\_\_

DATE: \_\_\_\_\_

DEPTH (feet)		TYPE OF SOIL OR ROCK PENETRATED (gravel, clay, etc., hardness, color, etc)	REMARKS (water, caving, shot, screen, sample, etc)
FROM	TO		
0	1	Topsoil	
1	2	Silty clay	
2	15	Sand and boulders	
15	23	shale	
23	64	blue limestone	
64	65	mud seam	
65	68	blue limestone	
68	69	mud seam or soft shale	
69	79	blue limestone	
79	81	mud pocket	
81	273	blue limestone	