877

INTERVAL SHEET

Page /		VDMR WEL	l no. : WELL I	VO. 0302
4		Sample Inter	rval: from 15	to 83
PROP:		Total Depth_		
	EAVE HALL CHURC	H OilGas	Water V	_Exploratory
COUNT COUNTY:		Cuttings	Core	Other
FROM:	TC:			
From-To	From-To	From-To	From-To	From-To
15-45				
45-50				
50-60				_
60-66		<u> </u>	***	
66-72				The state of the s
12-78	-		-	-
78-83	-		-	
		T. BERT	91725-91	
		-		
O -			-	
	= .	_	_	_
-	_		-	-
	-	_	-	-
-	-	-	-	
-	-		4.1.4	
= 1		315 3 1	1.37	-
	-		-	
-	-	-	•	- 1
	-	-	-	
*		-	4	
-	-			
			_	
			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	_
	0 <u>0</u> 0	_	_	-1
	_	_		_
0.		2		-
		-	-	

Interval Sheet

Sheet No.

--- Cuttings --- Core --- Water Well --- Gas Well

From-To	From-To	From-To	From-To	From-To
-				- 0
		-		-
		-	-	¥
-	_	-	<u>-</u>	#
	-	Sec. 1	(_
· -	-	-	-	-
		-	-	-
and .		-	-	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
		-	-	
	-		-	
		-		
			T	-
	-	-	-	-
	619	-		

Total Depth ____

WATER WELL COMPLETION REPORT

Department of Conservation and Economic Development

VIRGINIA DIVISION OF MINERAL RESOURCES

Box 3667, University Sta	ition, Charlottes	sville, Virgini	a			
OWNER: Meave Hall Church	Address:	beer	LI	9 -		_
TENENT: Paston				,		
	County_All	hema	rle	Approx	ft	les
	and	ft. miles	of	1 - 1	,	1
(Give directions and distance in feet or tenths of miles from two reference points show	wn on topographic			4 mile	from (he
Address: 1180 & market It		LOCATION	N SKETCH O	R MAP TRACING		PI
Address: The Control of the Control			N			
WATER CONDITIONS						
DEPTH						
STATIC WATER LEVEL						
3 () () () () () () () () () (
WATER (aquifers): (from) (to) (from) (to)						
ftft						
ftft					_	
YIELD	W				E	
WELL PUMPED (or bailed) at \$376.P.M. with 110 ft. DRAWDOWN						- 1
afterhrs. PUMPING.						
ARTESIAN (natural) FLOWG.P.M; HEADft. (above grnd.)						
REMARKS:						
QUALITY OF WATER						
COLORTASTE						
ODOROTHER			S			
ANALYSIS: AVAILABLE - Yes No ; ATTACHED - Yes No			3			
TEMPERATURE			1			
(from) (to)						
(salt, brackish, iron, sulfur, acid, other) WATERftft.	12	LE SIZE	(to)	CASING (diam.) (from)		
USE OF WATER	in	ft	8-100-9410		ft	_ft.
FOR Church and home (domestic, town, industry, irrigation, etc.)				6		
ADEQUACY, PERMANENCE						_
						_
PUMP (installed)			SCREEN			
TYPE	(diam.)		(to)	(or perforations) (opening	size)	
H.P DEPTH OF INTAKE	in	ft	ft.	Commission of the Commission o		
)		
CONSTRUCTION						
RIG TYPE (or method)						
DATE STARTED 4-1-59; COMPLETED 4-1-59	2.0					
FOTAL DEPTH	OTHER CO	NSTRUCTI	ON INFOR	MATION: (gravel po	ack, depth and size cker, plugs, etc.)	of
15	-				-	
SURFACE ELEVATIONft.						
T.						<u>· · ·</u>
REMARKS						
	=				8	
					н С	
*						

Samples sent____ Log of well (over)

COMMONWEALTH OF VIRGINIA

WWCR 377

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENTVDMR 302

DIVISION OF MINERAL RESOURCES

ox 3667, University Station, Charlottesville, Virginia

WNER: Neave Hall Church	Calp., soli	in seaghi	South	29		DT.	MOSI
ENANT: Pastor							113674
RILLER: H. C. Payne		Address:		Mar	ket Stre	et. Charl	ottesvi
							Va.
/ELL LOCATION: county_Albemarle south (direction) of Route 29	an	d	ft	iles	_of	mires	
ive direction and distance in feet or tenths of mile from two reference points - roads, towns, rive	ers, etc.— on	county highw	ay or other n	nop.) 4 m	iles fro	om Charlot	tesville
WATER CONDITIONS			1 12 12	N			
DEPTH							
TATIC WATER LEVEL							
ATER ZONES (fissures or formations supplying water)							
(from) (to) (from) (to)							
ftftft							
QUANTITY OF WATER							S14 114
ELL RUMRED (or bailed) at 1-7/10 Gal. per Min. with							- 4 1
33 feet DRAWDOWN afterHOURS PUMPING.							1
LOW (natural)G.P.M. HEADft. (above groun	d) W						E
EMARKS:							
QUALITY OF WATER							
OLOR TASTE							1
DOR OTHER							
NALYSIS: AVAILABLE— Yes M No D: ATTACHED Yes M No D							
EMPERATURE (to)							
(salt, brackish, iron, sulfur,acid, other) church and home	f.						
SE OF WATER: Domestic Town Industry Form Public				S			
CONSTRUCTION		HOL	E SIZE		C/	SING SIZE	
G TYPE (or mathed) Drill	6 (dia	im)	(from)	(to)	(diam.)	(from)	(† o)
G TYPE (or method) Drill (rotary, cable, bored, driven, etc)		in	ft.		ft 6	_inft	ft.
ATE: Started 4-1-59; Completed 4-7-59	.		-		1		
OTAL DEFTINTI.	(di	am.)	SCREE (from)	N (or	perforat	(opening size)	
EDROCK atft.		in	ft.	722.5	ft		
GROUTING INFORMATION				PUM	P (installed)		
ETHOD USED	TYPE			Co	p. (gpm)_		
ROUTING MATERIAL	-						
EPTH OF GROUTING	_ H.P			epth o	f intake_		ft.
EMARKS:							
					7.00		
			The San				
					Log of	weil (over)	
					Log of	weil (over)	

AMINELOGIO HILAHWIGHMOD

DEPARTMENT OF GONSERVATION AND ECONOMIC DEVELOPMENTUMEN SOS

DEPTH (feet)	TYPE OF SOIL OR ROCK PENETRATED	66 PEEE	REMARKS
FROM TO	(gravel, clay, etc., hardness, color, etc)		(water, caving, shot, screen, sample, etc.)
	katiti 4 militar		ENANT, POSTOC
Cherrioriassi	nett federal 3 1611 anna dise		PRILLER L. II. C. Rayna
-61/ miles-	ACTEUR		WELL LOCATION Albemarie
	To supply the		es escos a majores diffuse
Livaencolaum	POOL SOLID Draw was a security of the		the simulated for the control of the standard
	A A		SWOTTIGHGO BRITANI
			нтязо
			STATIC WATER LEVEL
			WAYER ZONES (dissores or formations sing)
			(mont) (af) (mont)
			(0)
			The state of the s
			STAW TO YTITHAUD
			institute to (belief to) EBSMER 113V
			SDOR TREE DEAM OF THE PART OF THE PROPERTY OF
F. P. March	The state of the s		F_OW (noteral) GRM. HEAD
			REMARKS
			REPARTER OF WATER
			COLOR TASTE
			RSHT0 900
			AALYSIS AVAILABLE- YEST MILTE ATRICKED YOU
			EMPERATURE
			WATER MOON
			one does a system RETAW TO 321
STIR D		28/21.22.22	
			NOTTOLATERDO
the (es) in its off	(min) (min) (min)		FORMUL AND SHOT OF SHOT OF SHORE SHOWS AND SHOULD BE SHOWN THE SHOW OF SHOWS AND SHOWS
			Dartel Startes 05-1-5 Bathel 31ah
	SQREEN (or perforation		OWN BERTH 03
(sun esti-			If WI to Nicercan
	The second secon		GROUTING INFORMATION
	nuleting SMIG		NUTTING THE DATE OF THE CHIEF O
	179E		GROUTING MATERIAL
11			GETH OF GROUTING
	3.51		
			E MARKS:
			the state of the s
	e- (o sa)		