## INTERVAL SHEET

Page /		VDMR	WELL	NO.: 032	4
0		Sample	Interv	al: from	to
PROP: COMP:	MT. PLAIN BAPTIS'	r CH <sub>Total I</sub>	Depth_	No depth A	MILABLE
COMP: COUNT	Y: ALBEMARLE WELL NO: 0324	Oil	_Gas_	Water	Exploratory
COUNTY: FRCM:	TC:	Cutting	gs	Core	Other
From-To	From-To	From-To		From-To	From-To
Single Sample	2	-			_
	-	-			-
4 - 4	<u>-</u>			-	-
-	-	-		ine	-
January a	·			-	A 4 15 17 18 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18
	-	-		-	
Tay Land		_			n i Byart
-		_			
0 -	-	-		_	-
9					
	-	-		-	-
7, -	-	-		-	-
•	-	-		-	-
3 . 5	<u>-</u>	-			-
-		-		_	
		_		<u>-</u>	_
		_		-	_
	_	-		_	_
	_ '	-			_
	-	_			
-		-		-	-
		-		-	- 1
•	-	- ,-		-	MH.
-	-	-		-"	-
- 1	-	-		-	~
-	•	-		-	-
-	-	-		-	-
0 -	-	-		-, 53	
-	-	-		-	
*	_	-			-

### Interval Sheet

Sheet No.

--- Cuttings

---- Core

--- Water Well

--- Gas Well

	From-To	From-To		From-To	From-To	From-To
				P10	•	- 0
	-	-			-	-
*:		ma .		-		
	-	-			7	7
	-		;,			
		, S. 1, 5, 7		1 -1	·	
	-			1.37		
	-				-	
		7 3 5 E	- 1			
	_			1 6 -	-	
	7 <del>-</del>	-	× *		= , ,	- 6
	-			E 1971		_ 0

Total Depth \_\_\_\_



#### COMMONWEALTH OF VIRGINIA

294

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

# DIVISION OF MINERAL RESOURCES

OWNER: The Plain Doplist Churc	MPLETION REPORT	
TENANT:	Mailing Address:	
DRILLER: Moore	Mailing Address:	
WELL LOCATION COUNTY albemarle	Approx	f+
	We Vand ft miles	f
(Give direction and distance in feet or tenths of mile from two reference points-roads, towns, rive	rs, etc.— On county highway or other map.)	
WATER CONDITIONS	N	
DEPTH		
STATIC WATER LEVEL	-	
WATER ZONES (fissures or formations supplying water)		
(from) (to) (from) (to)		
QUANTITY OF WATER		
WELL PUMPED (or bailed) at 20 Gal. per Min. with		
feet <u>DRAWDOWN</u> afterHOURS PUMPING.		_
FLOW (natural)G.P.M. HEADft. (above ground	d) W	E
REMARKS:		
QUALITY OF WATER		
COLOR TASTE		
ODOROTHER		
ANALYSIS: AVAILABLE- Yes   No   ATTACHED Yes   No		
TEMPERATURE		
(salt, brackish, iron, sulfur,acid, other) ft. (to)		
USE OF WATER: Domestic   Town   Industry   Farm   Public	S	
CONSTRUCTION	HOLE SIZE	CASING SIZE
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	(diam)	(diam) (from) (to)
DATE: Started; Completed		
	SCREEN (or r	erforations)
TOTAL DEPTH /60 ft.	JOINELIN (OI L	
	(diam.) (from) (to)	(opening size)
TOTAL DEPTH /60 ft.	(diam.) (from) (to)	
TOTAL DEPTHft.  BEDROCK atft.  GROUTING INFORMATION	(diam.) (from) (to) ft. PUMP	(installed)
TOTAL DEPTHft.  BEDROCK atft.  GROUTING INFORMATION  METHOD USED	(diam.) (from) (to)	(installed)
TOTAL DEPTH	(diam.) (from) (to) ft. PUMP	(gpm)
TOTAL DEPTH		(gpm)
TOTAL DEPTH		(gpm)

FURNISHED	RY	DATE:
OMMISTILLE	01	_DATE

DE I	PTH et)	TYPE OF SOIL OR ROCK PENETRATE	ED	REMARKS
FROM	то	(gravel, clay, etc., hardness, color, etc)		(water, caving, shot, screen, sample, etc.)
			in the country	
			1-100 200	ANTAGO DE LA CONTRACTOR
			(veryland)	
			The same of the same	and the section of the section of
	V		251111	
			Carrier a	ar meren mantur-array artists
			n	
	STALL DIS		COLUMN HARMAN	
	THE REAL PROPERTY.			The second secon
				transfer of the state of the st
				TY
				Man construct sortyces
				Constant of the
Mhana				Swifteding No. 1915.
	2119			

#### COMMONWEALTH OF VIRGINIA

DEPARTMENT OF CONSERVATION AND ECONOMIC DEVELOPMENT

# DIVISION OF MINERAL RESOURCES

Box 3667, University Station, Charlottesville, Virginia

WATER WELL COMPLETION REPORT

MENT WWCR 294 VDMR 324

Mt Disin Dontint Chunch	And solety associated to the beauty	White Property Andreas
OWNER: Mt. Plain Baptist Church		
TENANT:		
	Mailing Address:	**
WELL LOCATION: county Albemarle		miles
(direction) ofMechum River		of
(Give direction and distance in feet or tenths of mile from two reference points - roads, towns, river	s, etc.— On county highway or other map.)	
WATER CONDITIONS	The state of the s	
DEPTH		
STATIC WATER LEVEL		
WATER ZONES (fissures or formations supplying water)		
(from) (to) (from) (to)		
ft. ft		
ftft		
QUANTITY OF WATER		
WELL PUMPED (or bailed) at 20 Gal. per Min. with		
feet <u>DRAWDOWN</u> afterHOURS PUMPING.	144	
FLOW (natural)G.P.M. HEADft. (above ground	) 44	
REMARKS:		
QUALITY OF WATER		
COLOR TASTE		
POR OTHER		
ANALYSIS: AVAILABLE— Yes   No   ATTACHED Yes   No    TEMPERATURE	s	
CONSTRUCTION	HOLE SIZE	CASING SIZE
	(diam) (from) (to)	(digm) (from) (to)
RIG TYPE (or method) (rotary, cable, bored, driven, etc)	(diam) (from) (to) ftft_	(diam.) (from) (to)
DATE: Started; Completed		100000 10000 10000
TOTAL DEPTH160 ft.	SCREEN (or	perforations)
BEDROCK atft.	(diam.) (from) (to)tt	(opening size)
GROUTING INFORMATION		(installed)
METHOD USED		
GROUTING MATERIAL	TYPE Cap	o. (gpm)
DEPTH OF GROUTING	H.P Depth of	intakeft.
REMARKS: Topography: ridge		
Source of information - Cir. 2	(Cross II)	
		Log of well (over)

FURNISHED BY\_\_\_\_\_DATE: \_\_\_\_

FROM TO (grovel, clay, etc., hardness, color, etc) (water, coving, shot), screen, sample, etc.)	DE	PTH eet)	TYPE OF SOIL OR ROCK PENETRATE	D	REMARKS	
		TO			MANAGEMENT CONTRACTOR	
### ##################################						
### ##################################						
ATTENDED TO A TO					The state of the s	
ATT SET OF THE SET OF						
ATT SET OF THE SET OF					Islanding a serious	
The state of the s		F 1 1 1 1				
ANTERNATION OF THE STATE OF THE						
SAFER SOUTH HEAD STATES OF THE H						
Appropriate to the propriate to the prop					the state of the state of the state of	
AMPRINCE TO CONTROL OF THE CONTROL O						
AMPONES STORM AND TOWN TO WELL THE STORM AND					SETTING SO PROPERTY.	
The analysis and the second se					to the teller of the area	
The state of the s						
				many me -	The first of the second and	
					275 p. 15	
AND THE PROPERTY OF THE PROPER					TOTAL VIOLENTIAL PROPERTY.	
					100	
					15 Tel 10 Te	
					the street is the party of the first and	
					- nation - nation	
					The second second second second second	
		- 1	Mill of leading			
			220 2200		THEIR DE A TENEUT	
			and the second second			
The state of the s		Total Calif	The state of the s			
		-				
			Laboration and the second			
	170					
				*	LAMES LL STEWN	
				74		